AGRI MAGAZINE
(International E-Magazine for Agricultural Articles)
Volume: 02, Issue: 04 (April, 2025)
Available online at http://www.agrimagazine.in
©Agri Magazine, ISSN: 3048-8656

Deficit Irrigation: A Scientific Strategy to Enhance Water Productivity and Crop Yield

*Bhavani E[1], Sandip Gangil[1], Parmanand Sahu[1], Ravi Kumar Sahu[1] and Vinay M. Gangana Gowdra[2]
[1]ICAR-Central Institute of Agricultural Engineering, Bhopal, Madhya Pradesh, India
[2]University of Agricultural Sciences, GKVK, Bengaluru, Karnataka, India
*Corresponding Author's email: bhavanipriya2024@gmail.com

Water scarcity is rapidly becoming one of the most pressing challenges for global agriculture. It is a crucial issue that has intensified competition among different industries with limited water resources. Number of factors, such as recurring droughts brought on by climate change, urbanization, population increase, and the development of agricultural regions, are contributing to the rise in demand for irrigation water. Managing crop production has become increasingly difficult due to the limited availability of water per capita. Moreover, a sub-regional shift in the monsoon has led to more intense, prolonged, and severe drought events, further exacerbating water scarcity. These conditions often result in midseason drought stress, which hampers crop productivity by disrupting critical stages of plant growth. In order to overcome these challenges, there is growing interest in using effective irrigation planning and management techniques to enhance water production in irrigated agriculture. The deficit irrigation (DI) technique is one such sustainable strategy that seeks to maximize water use efficiency and improve water yield.

Deficit Irrigation

Deficit irrigation (DI) is a regulated water management practice wherein water is applied below the full crop evapotranspiration (ET_C) requirements, particularly during growth stages that are less sensitive to water stress. This strategy allows crops to undergo mild, controlled water stress without significantly compromising productivity. Additionally, it lessens the likelihood of plant diseases and pests that would infect plants, especially those that grow in soils with increased moisture content and irrigation conditions. As a result, DI has received a lot of attention as a valuable and long-term production strategy for enhancing crop-water productivity in dry regions because it offers a way to decrease unhelpful water application and nutrient loss through root zone leaching while minimising the negative effects of water stress on yields.



Effect of DI on Crop Production

DI, as a strategy to optimize water use in agriculture, has varying effects on different crops, influencing yield, water use efficiency (WUE), and economic outcomes. In maize cultivation, DI levels (75% ET_C) with conventional furrow irrigation significantly affect grain yield, biomass, and water productivity. Thereby achieving high water productivity and economic benefits. For potatoes in Northern China, DI enhances WUE and irrigation water use efficiency (IWUE) by 10% and 31.6%, respectively, despite a 16.4% reduction in yield compared to full irrigation. The optimal conditions for maximizing WUE with minimal yield loss include specific soil types and fertilizer rates. In wheat production in Ethiopia's semi-arid regions, a 70% ET_C DI level optimizes WUE and economic returns, allowing for increased production on additional land with saved water, while maintaining comparable yields to full irrigation. Pomegranate trees under moderate DI in Egypt achieve high water productivity and maintain fruit quality, with a slight yield reduction offset by water savings. Severe DI, however, reduces yield and juice content, though it increases soluble solids content. For common beans in Ethiopia, moderate DI (70-85% ET_C) maintains yields close to full irrigation levels while enhancing water productivity, making it a viable option in water-scarce. Overall, DI can be an effective water management strategy, but its success depends on crop type, local environmental conditions, and specific irrigation practices.

Benefits of DI

DI is a sustainable farming strategy that conserves 30-40% of irrigation water without major yield loss. It improves water use efficiency and reduces energy costs. In crops like tomatoes, grapes, and cotton, it enhances quality by boosting flavor and fiber strength. The method also promotes deeper root growth, drought resilience, and lowers disease and pest in plants and nutrient loss from excess moisture. Overall, it offers agronomic, economic, and environmental benefits, making it a valuable climate-resilient practice for water-scarce regions.

Technologies and Tools That Support DI

DI relies on precise timing and is increasingly supported by modern tools. Soil moisture sensors like tensiometers help monitor root-zone moisture, avoiding over or under-irrigation. Remote sensing and satellite imagery detect plant stress and guide decisions. Smart irrigation controllers, connected to weather data or soil probes, automate water application. Mobile apps and Decision Support Systems (DSS) offer crop-specific recommendations based on soil, weather, and growth stage, enabling farmers to optimize DI and improve WUE.

Challenges and Considerations

Despite its advantages, DI is associated with several challenges. It's unsuitable for water-intensive crops like rice and sugarcane without alternatives like Alternate wetting and drying (AWD) or drip systems. Yield loss can occur if stress coincides with critical growth stages. Many smallholders lack access to technology, training, and infrastructure needed for precise irrigation. Inconsistent water delivery due to inadequate systems and unpredictable weather in rainfed areas further complicate scheduling and reduce effectiveness. Addressing these barriers is essential for the successful adoption of DI in diverse farming systems.

Policy and Research Support

Governments and research institutions are promoting DI for sustainable farming in water-scarce regions. India's "Per Drop More Crop" initiative under PMKSY encourages water-saving practices, including DI. Globally, FAO and ICARDA support trials and technical assistance. Universities are refining irrigation schedules and assessing economic feasibility. Supportive policies, such as drip irrigation subsidies, investment in extension services, and water-use regulations, are crucial to scaling up adoption and ensuring the long-term success of DI across diverse agro-climatic zones.

References

1. Abdelkhalik, A., Pascual, B., Najera, I., Baixauli, C., Pascual-Seva, N. (2019). Regulated deficit irrigation as a water-saving strategy for onion cultivation in Mediterranean Conditions. *Agronomy*, 9 (9), 521.
2. Malik, G., Mahajan, V., Dhatt, A.S., Singh, D.B., Sharma, A., Mir, J.I., Wani, S.H., Yousuf, S., Shabir, A., Malik, AZ. (2017). Present status and future prospects of garlic (Allium sativum L.) improvement in India with special reference to long day type. *Journal of Pharmacognosy and Phytochemistry*, 6(5), 929-933
3. Vasu, D., Singh, S.K., Tiwary, P., Sahu, N., Ray, S.K., Butte, P., Duraisami, V.P. (2017). Influence of geochemical processes on hydrochemistry and irrigation suitability of groundwater in part of semi-arid Deccan Platea, *Applied Water Science*, 7, 3803–3815.
4. Wakchaure, G.C., Minhas, P.S., Ratnakumar, P. & Choudhary, R.L. (2016). Optimising supplemental irrigation for wheat (Triticum aestivum L.) and the impact of plant bioregulators in a semi-arid region of Deccan Plateau in India. *Agriculture Water Management*, 172, 9-17.