AGRI MAGAZINE
(International E-Magazine for Agricultural Articles)
Volume: 02, Issue: 12 (December, 2025)
Available online at http://www.agrimagazine.in
©Agri Magazine, ISSN: 3048-8656

Role of Blue-Green Algae (BGA) and Cyanobacteria in Sustainable Vegetable Cultivation

*Arvind Lohar and Mr. Tikam Das Vaishnav
RNT College of Agriculture, Kapasan (MPUAT, Udaipur), Rajasthan, India
*Corresponding Author's email: mmaluharshit@gmail.com

Sustainable vegetable cultivation aims to enhance productivity while preserving soil health, minimizing chemical inputs, and maintaining the ecological balance. Blue-Green Algae (BGA), also known as Cyanobacteria, have recently gained attention as valuable biofertilizers due to their ability to fix atmospheric nitrogen, improve soil fertility, and promote eco-friendly farming. These organisms grow widely in paddy fields, wet soils, ponds, and moist vegetable fields. They are primarily used in organic farming, Integrated Nutrient Management (INM), climate-smart agriculture, and residue-free vegetable production. Vegetables such as tomato, okra, brinjal, spinach, cabbage, cauliflower, and cucurbits respond positively to BGA application. Thus, BGA play a vital role in biological nitrogen fixation, soil rejuvenation, and sustainable vegetable cultivation.

What are Blue-Green Algae (BGA) and Cyanobacteria?

BGA are **photosynthetic prokaryotic microorganisms** which resemble algae because of their green color and chlorophyll content. They are among the **oldest life forms on Earth** and can grow in moist soils, wetlands, and agricultural fields.

Characteristics of BGA

- Possess **chlorophyll-a** and perform photosynthesis.
- Can **biologically fix atmospheric nitrogen** (BNF).
- Can form **soil crusts**, helping in soil binding.
- Some species form **symbiotic association** with plants.
- Grow rapidly in nutrient-rich and moist conditions.

Common Genera of BGA

Scientific Name	Habitat
Anabaena	Paddy & moist vegetable soils
Nostoc	Wetlands and loamy soils
Aulosira	Fertile agricultural soils
Tolypothrix	Sandy & loamy soils
Spirulina	Alkaline water bodies

Importance of BGA and Cyanobacteria in Agriculture

Natural Nitrogen Fixation

- Fix **50–100 kg N/ha/year naturally**.
- Reduce chemical fertilizer dependency.
- Provide **slow-release nitrogen** to vegetables.

Maintaining Soil Fertility

- Increase **soil microbial activity**.
- Improve **nutrient cycling** of N, P, K & micronutrients.
- Add **organic carbon** to soil.

Improving Soil Structure
- Produce **polysaccharides** that bind soil particles.
- Improve **porosity, aeration & water-holding capacity**.
- Reduce **soil erosion and compaction**.

Plant Growth Promotion

BGA release plant growth-promoting substances such as:
- Auxins
- Cytokinins
- Gibberellins

  These enhance **root growth, seed germination, leaf expansion, and shoot development**.

Eco-Friendly Biofertilizer
- Low cost, farmer-friendly.
- Biodegradable and non-toxic.
- Ideal for **small and marginal farmers**.

Role of BGA in Sustainable Vegetable Cultivation

Enhancing Nitrogen Availability

Essential for leafy and fruit vegetables (e.g., cabbage, spinach, tomato, okra). Benefits:
- Increased leaf area
- High chlorophyll content
- Better photosynthesis
- Increased yield

Improving Soil Physical Properties
- Better **soil aeration**
- Strong root development
- Improved **drought tolerance**

Role in Organic & Residue-Free Farming

BGA act as:
- Primary nitrogen source
- Natural soil conditioner
- Microbial inoculant for vegetable nurseries

Suppression of Soil Diseases

Some BGA strains suppress pathogens like:
- *Fusarium*
- *Rhizoctonia*
- *Pythium*

Soil Carbon Sequestration
- Capture atmospheric CO_2
- Increase **Soil Organic Carbon (SOC)**
- Improve soil resilience against climate change

Phosphorus Solubilization
- Release organic acids
- Convert unavailable phosphorus into soluble form
- Enhance P uptake in vegetables

Methods of Using BGA in Vegetable Cultivation

Soil Application
- Apply **10–15 kg/acre** as powder or granules
- Mix in the top **10–15 cm** soil layer

Seed Treatment
- Use BGA slurry for seed coating
- Improves germination and vigor

Nursery Application

- Sprayed in nursery beds of **cabbage, tomato, capsicum**
- Reduces seedling mortality

Irrigation Water Application

- Spread BGA inoculum in moist or waterlogged soils
- Effective in **cucurbits and leafy vegetables**

Benefits to Farmers

Benefit Type	Details
Economic	Saves 20–40% fertilizer cost
Agronomic	Yield increased by 10–25%
Environmental	No chemical pollution
Nutritional	Improves quality of vegetables
Sustainability	Supports climate-resilient agriculture

Challenges in BGA Usage

Challenge	Impact
Low awareness	Poor adoption
Dry climate	Limited growth
Chemical pesticide residues	Inhibit BGA
Poor market quality	Inconsistent results

Strategies to Improve BGA Adoption

- Farmer training & demonstrations
- Subsidy & government promotion
- INM & IPM integration
- Development of high-efficiency strains
- Community-based BGA production units

Conclusion

Blue-Green Algae and Cyanobacteria are powerful biofertilizers that support eco-friendly vegetable farming by promoting soil fertility, nitrogen fixation, disease suppression, and sustainable yields. Their application can significantly reduce dependence on costly chemical fertilizers and improve soil health. With proper awareness, government support, and advanced research, BGA can become an essential tool for future climate-smart and sustainable vegetable cultivation.

References

1. ICAR Technical Bulletin on Biofertilizers (2021)
2. FAO Report on Sustainable Agriculture (2023)
3. Yadav & Singh (2022) – Role of Cyanobacteria in Crop Production
4. National Mission on Sustainable Agriculture (NMSA), 2022
5. Subhash et al., 2020 – Soil Fertility Enhancement by BGA