AGRI MAGAZINE
(International E-Magazine for Agricultural Articles)
Volume: 02, Issue: 12 (December, 2025)
Available online at http://www.agrimagazine.in
©Agri Magazine, ISSN: 3048-8656

Switching Off Fungi: The Spray that Silences Plant Diseases

*Jisha Lagna[1], R. Arutselvan[2] and Sulekha Pradhan[2]
[1]Odisha University of Agriculture and Technology, Bhubaneswar, India
[2]ICAR-Central Tuber Crop Research Institute, Regional Station, Bhubaneswar, India
*Corresponding Author's email: jishalagna@gmail.com

Plant diseases caused by fungi remain one of the greatest threats to global food security, often managed through chemical fungicides that carry risks of resistance, environmental contamination, and harm to non-target organisms. A new frontier in crop protection is emerging through RNA interference (RNAi), a natural gene-silencing mechanism now harnessed as a topical spray. By delivering double-stranded RNA molecules that switch off vital fungal genes, this approach offers precision control without the ecological drawbacks of conventional fungicides. RNAi sprays degrade harmlessly in the environment, spare beneficial microbes, and can be rapidly redesigned to counter evolving pathogens. This innovation represents a sustainable, adaptable, and eco-friendly alternative, promising healthier harvests and reduced chemical dependence. As research advances, RNAi technology may quietly transform agriculture—ushering in a silent revolution against plant disease.

Keywords: RNAi Sprays, Gene silencing, Fungal Pathogen

Introduction

Fungi may seem harmless—as mushrooms in forests or Molds on bread—but in agriculture, they are among the most destructive enemies of food security. Plant pathogenic fungi cause diseases that devastate crops worldwide, from rice blast in Asia to wheat rust in Africa and late blight in potatoes across Europe and the Americas. These infections do not just reduce yields; they threaten livelihoods, economies, and the stability of global food supplies. Fungal diseases destroy nearly 20% of global crop yields every year. Unlike insect pests or bacterial infections, fungi are particularly insidious: they spread rapidly through spores carried by wind and rain, persist in soil for years, and evolve resistance to chemical fungicides. Farmers often respond with repeated sprays of toxic chemicals, but this approach is costly, environmentally damaging, and increasingly ineffective. In a world facing climate change, population growth, and shrinking arable land, protecting crops from fungal pathogens is not just a scientific challenge—it is a humanitarian imperative. Understanding why fungal diseases matter is the first step toward innovative solutions, such as RNA sprays, that promise to silence pathogens without harming the planet.

Traditional Control Methods

For centuries, farmers have relied on traditional tools to battle fungal diseases in crops. The earliest defences were copper and sulphur compounds, sprayed or dusted onto plants to suppress pathogens. These broad-spectrum chemicals were effective but often toxic to soils, water, and beneficial organisms. With the rise of industrial agriculture, synthetic fungicides such as azoles and strobilurins became the mainstay. They offered stronger, faster protection and could be applied at scale, but their repeated use led to a familiar problem: fungal resistance. Beyond chemicals, farmers have also turned to cultural practices. Crop rotation, sanitation of fields, and removal of infected plant debris help reduce the spread of spores. Resistant crop varieties, bred through conventional plant breeding, provide another layer of

defence, though pathogens often evolve to overcome these genetic shields. Biological control has also played a role, using beneficial microbes to outcompete or inhibit pathogenic fungi. Yet these methods are often inconsistent under field conditions. While traditional approaches have kept fungal diseases at bay for decades, they come with trade-offs: environmental damage, rising costs, and diminishing effectiveness. These limitations highlight the urgent need for innovative solutions—like RNA sprays—that promise precision without pollution.

The Science of RNA Interference (RNAi):

DNA-protein interactions are fundamental processes underpinning all biological functions. DNA stores the instructions, messenger RNA (mRNA) carries them, and proteins execute the tasks that keep organisms alive. RNA interference (RNAi) is a post-transcriptional gene-silencing mechanism that uses small RNAs to regulate gene expression.

RNA interference is a natural process discovered in the late 1990s. It works like a genetic "mute button." Small fragments of RNA—called small interfering RNAs (siRNAs) or microRNAs (miRNAs)—bind to messenger RNA (mRNA), the molecule that carries genetic instructions from DNA to the cell's protein-making machinery. When bound, the mRNA is destroyed or blocked, preventing the protein from being made.

RNAi as a lock-and-key system. RNAi begins when double-stranded RNA (dsRNA) enters the cell. The enzyme Dicer cleaves dsRNA into short fragments called small interfering RNAs (siRNAs) or microRNAs (miRNAs). These fragments are then incorporated into the RNA-induced silencing complex (RISC). Within RISC, one strand of the small RNA guides the complex to complementary messenger RNA (mRNA) molecules. Once bound, RISC either cleaves the target mRNA (siRNA pathway) or blocks its translation (miRNA pathway). This prevents the synthesis of the corresponding protein.

Scientists realized they could harness RNAi against plant pathogens, especially fungi. By spraying crops with synthetic RNA molecules designed to target fungal genes, they effectively switch off the pathogen's ability to infect. Unlike chemical fungicides, RNAi sprays are biodegradable, highly specific, and leave beneficial microbes unharmed.

Field trials have shown promise: Powdery mildew in barley suppressed by RNA sprays and Late blight in potatoes weakened when key fungal genes were silenced. Because RNA molecules degrade quickly in the environment, they leave no toxic residues. And since they target only specific genes, beneficial microbes remain unharmed.

RNAi represents a paradigm shift in crop protection. Instead of poisoning pathogens, we silence their instructions. This precision reduces environmental damage, lowers the risk of resistance, and opens the door to sustainable farming practices.

In essence, RNAi is science's way of turning biology's own defence system into a tool for agriculture—transforming the fight against plant disease from brute force into elegant silence.



Figure 1 Figure: Gene Silencing Mechanism in Pathogen
A: Double stranded RNA (dsRNA), B: Binding of Dicer to dsRNA and cleavage to form Small Interference RNA (siRNA), C: Incorporation of siRNA into RNA inducing silencing complex (RISC), D: siRNA binding to the complementary target mRNA, E: Cleavage and degradation of targeted mRNA in pathogen.

RNAi Sprays - A New Weapon:

For decades, crop protection has relied on chemicals that kill fungi outright. But a new generation of tools is emerging—RNA sprays—that do not poison pathogens but instead silence their ability to cause disease. This approach harnesses the natural process of RNA interference (RNAi), turning it into a precision weapon against plant pathogens.

Designing RNA sprays begins with identifying the essential genes that fungi use to infect plants. Scientists sequence the pathogen's genome and pinpoint targets such as genes for spore germination, cell wall formation, or toxin production. Once these targets are chosen, short RNA fragments—called small interfering RNAs (siRNAs)—are synthesized to match the genetic code of those fungal genes. The design is highly specific: each RNA fragment acts like a lock-pick, fitting only the intended gene sequence.

When sprayed onto crops, these RNA molecules settle on leaf surfaces and are absorbed by fungal spores or hyphae. The uptake mechanism is surprisingly efficient. Fungi possess natural pathways that allow them to take in external RNA from their environment, a process known as environmental RNA uptake. Once inside, the RNA fragments are recognized by the fungal RNAi machinery. They bind to the matching messenger RNA (mRNA) and trigger its degradation, preventing the fungus from producing the proteins it needs to invade plant tissue. This mode of action is radically different from traditional fungicides.

Field trials have already demonstrated the promise of this technology. These successes suggest that RNA sprays could become a cornerstone of sustainable agriculture, offering farmers a tool that is both effective and environmentally responsible. By designing RNA molecules that silence fungal genes and exploiting the fungus's own uptake pathways, scientists have created a weapon that is subtle yet powerful.

Spray-on RNA represents a shift from brute-force chemical warfare to precision biocontrol, opening the door to a future where plant diseases are managed not by killing pathogens, but by muting them.

Case Studies and Examples

Case Study 1: Powdery Mildew in Barley

Powdery mildew (*Blumeria graminis*) is a major threat to barley. In 2019, researchers explored RNAi by targeting the **CYP51 gene**, crucial for ergosterol biosynthesis in fungal membranes. Spray-induced RNA fragments silenced CYP51, disrupting fungal growth and reducing infection. Treated barley plants showed fewer lesions and healthier leaves, demonstrating RNAi's potential as a precise, eco-friendly alternative to fungicides.

Case Study 2: Late Blight in Potato

Late blight (*Phytophthora infestans*) continues to devastate potato crops worldwide. In 2021, scientists tested spray-induced gene silencing against **PiGPB1**, a G-protein β subunit essential for spore germination and signalling. RNA sprays silenced PiGPB1, impairing infection pathways. Potato plants treated with RNAi developed smaller lesions and resisted blight progression, offering a sustainable alternative to chemical fungicides.

Specific Genes targeted by RNAi in Plant Pathogens:

Crop	Pathogen	Target Genes
Wheat	*Fusarium graminearum*	Tri5 (Trichothecene toxin biosynthesis)
Barley	*Blumeria graminis*	CYP51 (Sterol 14α-demethylase)
Potato	*Phytophthora infestans*	PiGPB1 (G-protein β subunit), PiCutinase
Rice	*Magnaporthe oryzae*	MoABC1 (ABC transporter), MoPMK1 (MAP Kinase)
Tomato	*Botrytis cinerea*	BcDCL1/BcDCL2 (Dicer-like genes)

Advantages of RNAi over Conventional Fungicides

1. **Target Specificity:** Conventional fungicides often act broadly, harming beneficial microbes, insects, or even causing phytotoxicity. RNAi works by silencing essential genes in fungal pathogens, meaning it can be designed to affect only the target organism.

2. **Reduced Environmental Impact:** Fungicides can accumulate in soil and water, leading to pollution and ecological imbalance. RNAi molecules (double-stranded RNA) degrade naturally in the environment and do not persist as chemical residues.
3. **Lower Risk of Resistance Development:** Pathogens can quickly evolve resistance to fungicides due to repeated exposure to the same chemical mode of action. RNAi allows flexible re-design of dsRNA sequences to target new genes, making it harder for fungi to adapt.
4. **Safety for Non-Target Organisms:** Fungicides often harm non-target organisms, reducing biodiversity. RNAi does not affect beneficial insects, pollinators, or soil microbiota because gene silencing requires precise sequence matching.
5. **Compatibility with Sustainable Agriculture:** Conventional fungicides face regulatory restrictions due to toxicity and residue concerns. RNAi aligns with integrated pest management (IPM) and organic farming goals by reducing reliance on synthetic chemicals.

Conclusion

RNA interference (RNAi) represents more than just a new plant protection tool—it signals a paradigm shift in how we safeguard crops. By harnessing the natural mechanism of gene silencing, RNAi offers precision, sustainability, and adaptability that conventional fungicides cannot match. Its ability to target pathogens without harming beneficial organisms, reduce environmental residues, and outpace resistance development positions RNAi as a cornerstone of future agriculture. This quiet yet transformative technology is paving the way for a silent revolution in crop production, where farmers can protect yields while preserving ecosystems. As research advances and delivery methods become more practical, RNAi will increasingly complement or even replace chemical fungicides, ensuring healthier harvests and more resilient food systems. In this way, RNAi is not merely a scientific innovation—it is a step towards a greener, safer, and more sustainable agricultural future.

References

1. Cheng, A. P., Lederer, B., Oberkofler, L., Huang, L., Johnson, N. R., Platten, F., ... & Weiberg, A. (2023). A fungal RNA-dependent RNA polymerase is a novel player in plant infection and cross-kingdom RNA interference. *PLoS Pathogens*, *19*(12), e1011885.
2. Islam, M. T., Sherif, S. M., & Heller, J. (2021). RNAi-based biocontrol of plant pathogens: A promising strategy for sustainable agriculture. *Phytopathology*, *111*(8), 1406–1420.
3. Machado, A. K., Brown, N. A., Urban, M., Kanyuka, K., & Hammond-Kosack, K. E. (2018). RNAi as an emerging approach to control Fusarium head blight disease and mycotoxin contamination in cereals. *Pest management science*, *74*(4), 790-799.