



AGRI MAGAZINE

(International E-Magazine for Agricultural Articles)

Volume: 03, Issue: 03 (March, 2026)

Available online at <http://www.agrimagazine.in>

© Agri Magazine, ISSN: 3048-8656

Digital Soil Twins: Virtual Simulation Before Sowing

*Neha Chaudhary, Shailendra Singh Gaurav and Parvesh Kumar

Department of Genetics and Plant Breeding,

Chaudhary Charan Singh University, Meerut, U.P. (250004), India

*Corresponding Author's email: nehachaudhary0598@gmail.com

Creating an accurate virtual model of soil profile of our field, before planting any seeds, is transforming agronomic decisions, cutting down on resources, and leading to farming based on simulation instead of guesswork. Before you ever turn on your tractor, imagine being able to run your entire cropping season, every irrigation decision, fertilizer application, and every sowing date inside a virtual model of your field. Imagine testing your farm against a drought, a late frost, or an unexpected pest outbreak. Without endangering a single crop, you would receive a comprehensive, field specific prescription. This is not even Science fiction but digital soil twin technology is beginning to enable this, and it is currently taking place in space agency laboratories, commercial farms, and research stations from Texas to Uttar Pradesh. A living, dynamic, virtual replica of an actual field soil system is called a digital soil twin. It integrates real-time inputs from sensors, satellites, drones, and weather stations with high resolution soil data, such as chemistry, texture, moisture profiles, microbial activity, and carbon content. As far as technology allows, this creates a computational model that closely mimics the real soil. Crucially, it is dynamic, the twin is constantly changing as new information becomes available, just like the actual soil. Because of this, it functions as a predictive tool that can model future conditions under different management strategies, making it more than just a snapshot or static profile.

What is a Digital Soil Twin

In aerospace engineering, the idea of digital twin first originated enabling these models help forecast maintenance requirements by simulating the behavior of structures. The basic idea is to create a digital replica of a physical system, update it with data from the actual world, and use it to test scenarios, forecast results, and make better decisions without having to interact with the real thing. In agriculture, this principle is now being applied at the soil level. This is arguably the most complex, variable, and important physical system that farmers manage. A digital soil twin is not just a map of soil properties. It is a multi-layered computational model that integrates data from time, depth, and space. It considers various factors such as soil profile which regulates gaseous exchange and root penetration, nutrients cycle in response to microbial activity and temperature. The National Academies of Sciences defined digital twins as virtual models that “mimic the structure, context, and behaviour of a natural, engineered or social system.” Soil, being the most complex biological ecosystem per cubic centimetre on Earth, is a prime example of such a system. When a digital soil twin is created properly, it not only reflects the current state of the soil but also predicts how that soil will change under certain conditions and management decisions.

How Digital Soil Twins are Built: The Technical Architecture

Data Acquisition- Building the Foundation

No twin is better than the data it is built on. Creating a digital soil twin starts with thorough data collection from various sources in the physical field. Modern soil twin systems rely on a strong mix of inputs:

- **On-field soil sensors** measure real-time pH, electrical conductivity, nitrogen, phosphorus, potassium (NPK), temperature, and volumetric moisture content at multiple soil depths.
- **Drone and satellite** multispectral imagery maps spatial variability across the field, identifying zones with differing soil organic matter, moisture stress, or compaction through vegetation indices and thermal signatures.
- **Soil sampling** and laboratory analysis provide chemical and physical data, including texture, bulk density, microbial biomass, and carbon stocks.
- **Historical records and climate data**, which include decades of weather patterns, cropping history, tillage records, and previous yield maps, provide the temporal depth that makes predictive modeling reliable.
- **GPS and remote sensing** platforms anchor all data to precise geographic coordinates, enabling spatial analysis at sub-meter resolution.

Model Construction- Creating the Twin

Once data is assembled, machine learning algorithms often combine physics-based process models with data-driven deep learning to construct the twin. Physics-based models capture known agronomic relationships, such as how water moves through different soil textures (Darcy's Law), how nitrogen mineralizes in response to temperature and moisture, and how root growth responds to bulk density and aeration, based on decades of soil science. Machine learning (ML) models trained on historical yield, soil, and weather data can detect patterns too complex for simplified process equations. They can identify the specific combination of subsoil compaction, late-season rainfall deficit, and sowing date that causes yield loss in a particular field. The hybrid model obtained is both precise and easy to understand.

The Simulation Engine- Running Scenarios Before Sowing

The AI driven digital soil twin models, helps farmers and agronomists to run pre-sowing simulations across a wide range of management scenarios. What happens to yield if sowing is delayed two weeks because of waterlogged soils? How does the field react to split nitrogen application compared to a single pre-plant dose? Which of the three candidate crop varieties performs best in Zone B of the field, where clay content is higher and drainage is slower? The twin predicts outcomes for each scenario, typically within seconds, allowing decision-makers to choose the best strategy before making any real-world commitments.

Nasa's Agricultural Digital Twin

In March 2025, NASA's Earth Science Technology Office announced its Agricultural Digital Twin initiative, which combines data from NASA remote sensors with USDA crop statistics to provide field specific crop yield forecasts. The system enables farmers to simulate how specific crop varieties may perform under drought conditions before they decide when to plant. This essentially allows them to run the growing season in a computer model first. The team hopes to make the tool available through a public web portal, representing an important step toward widespread use.

Table 1. The Six Step Workflow: From Soil Sample to Virtual Harvest.

Step 1	Soil Profiling	Sensors, drone surveys and lab tests map soil pH, NPK, texture, moisture-holding capacity, and microbial activity.
Step 2	Data Integration	All soil data, combined with, multi-year weather records, and crop history, is integrated into a digital twin platform.
Step 3	Virtual Soil Model Build	ML algorithms construct a dynamic 3D model of the field's soil layered, spatially variable, and continuously updatable.
Step 4	Pre-Sowing Simulations	Farmers and agronomists run multiple stress scenarios. The twin projects predict the outcomes before any seed touches the ground.
Step 5	Prescription Generation	The twin platform simulate and prescribe map for seeding, irrigation, and nutrient application specified to each zone within the field.
Step 6	Real-Time Feedback Loop	Initiating from sowing, live sensor data flows back into the twin, continuously updating the model and refining recommendations through the growing season.

What Digital Soil Twins Can Simulate: A Field-Level View Nutrient Dynamics and Fertilizer Optimization

Digital soil twins revolutionise the use of fertilizers by providing accurate, zone-specific recommendations across the field. They meticulously map nutrient levels and simulate how application rates interact with soil biology, moisture, and crop uptake, and provide specific prescription to each patch of land. As a result, sandy zones may receive 95 kg/ha of nitrogen instead of a blanket 120 kg/ha, while clay rich areas may receive 135 kg/ha. This reduces total fertilizer inputs by 30-40% without compromising yield, which is beneficial, both economically and environmentally.

Soil Water Balance and Irrigation Scheduling

AI-driven twin might be the most beneficial in terms of water management. They create irrigation schedules based on practical field conditions rather than calendar defaults. Multidimensional simulations i.e., infiltration, moisture redistribution, and evapotranspiration helps in better decision making. The ideal defoliation date was predicted weeks in advance by an AI-driven twin. The farmer disregarded it because he preferred experience to facts. Then, unexpected rainfall postponed harvest, resulting in quality losses of about \$70 per acre, exactly what the model had predicted. Digital twins not only surpass intuition, but they also process temporal and multi-variable data at a depth that no unassisted human judgement can match.

Pre-Sowing Disease and Pest Risk Modeling

Digital soil twins can stress test pathogen pressure in the soil before sowing starts. AI driven soil twins can identify areas with a higher risk of soil-borne diseases like Fusarium wilt, Pythium damping-off, or root-knot nematode infestations. They map key factors affecting pathogen survival and growth like soil temperature, moisture content, pH, and organic matter. This helps farmers use targeted seed treatments and choose resistant varieties in high-risk areas. Taking these steps beforehand proves much more cost-effective than post-infection response.

Climate Stress Simulation and Adaptation Planning

Perhaps the most promising use of digital soil twins is climate scenario simulation. Digital soil twins can show how a field performance might change with Global warming, shifting rainfall patterns, or more frequent droughts by combining historical climate records with future climate projections from the IPCC (Intergovernmental Panel on Climate Change). This provides farmers not just guidance for the coming season but also the ability to plan for multiple decades. It helps them decide which crops will still thrive in future conditions, which soil amendments will improve long-term resilience, and which land management practices will best protect soil carbon and structure over time.

25–40%	30–40%	5–15%
Reduction in water use with digital soil twins	Reduction in fertilizer inputs	Average yield increase reported in pilot trials

Numerous independent research initiatives have documented the performance advantages of digital soil twin approaches. Across a range of crop and soil types, yield forecast accuracy in sophisticated digital twin systems has reached 85 to 90 %. The most advanced platforms, like the sensor integrated system from Bowery Farming, enable crops to grow twice as quickly while using 95% less water. Through integrated soil moisture and river flow modeling, New Zealand's Waimakariri Irrigation Limited digital twin, which spans 23,000 hectares across 200 farms, has demonstrated notable improvements in water management at the watershed scale.

Table 2. The table below shows the core differences in how farming decisions are made before and after the adoption of a digital soil twin.

Factors	Traditional Farm Planning	Digital Soil Twin Approach
Data sources	Memory, almanac, local knowledge	Sensors, satellite, IoT, weather APIs, lab soil data
Planning horizon	Season-by-season, reactive	Multi-season simulations run before sowing
Nutrient management	Blanket application across field	Zone-specific prescription from soil profile models
Water use	Empirical / calendar-based	Moisture model-driven, reduces usage by 25–40%
Risk management	Experience-based judgement	AI-modelled drought, pest and flood scenarios
Crop variety selection	Advisor recommendation or habit	Simulated performance across varieties before purchase
Smallholder access	Direct field experience only	Mobile-first platforms now emerging for 1 acre farmers.

Problems That Need to Be Solved

Despite lot of potential, five key barriers limit the widespread adoption of Digital twins. First, data quality and spatial density are still problems. To make accurate models, you need high resolution, multi depth sampling, which is expensive and time consuming. Portable sensing tools are still too expensive for smallholder farmers in developing areas. Second, rural connectivity is not very reliable on a lot of farmland around the world. However, edge computing can help by processing data locally and then sending compressed outputs.

Third, trust is earned, not given. Farmers won't follow advice unless they can see that the predictions match what actually happens. This means that long term programs that treat farmers as partners are needed. Fourth, data ownership brings up important questions about who controls, profits from, and protects sensitive soil and yield data as it is collected from many farms. This shows that clear legal frameworks and farmer centered models are necessary. Finally, high initial costs and technical difficulties could limit digital soil twins to capitalized entrepreneurs. To make sure everyone can use them, they need to be affordable and come with practical training for farmers.

Road Ahead

Three major changes are happening at the same time that are speeding up the development of digital soil twins. AI is going beyond just recognizing patterns and moving toward real agronomic reasoning. Future platforms won't just flag low nitrogen, they'll also explain, predict how it will affect yields, and change their recommendations automatically as conditions change. Autonomous farming systems will connect knowledge and action. A twin that detects soil compaction won't just tell the farmer about it, it will also send an autonomous subsoiler to fix it. This will turn the twin from an advisor into a self-optimizing cognitive hub for the whole farm. At the most substantial level, programs like the EU's Earth System Digital Twin are creating open, interoperable architectures that connect individual soil twins into networks all over the world. A soil twin in Punjab could send real-time predictions of drought stress to an FAO food security early warning system, making data from a single field a part of global intelligence.

Conclusion

Planting a seed has always been an act of faith. Digital soil twins don't get rid of that uncertainty, they change how the farmer deals with it. Before going out into the field, you can now stress-test the unknown in a virtual setting, which turns guesswork into smart action. This doesn't mean the end of human judgment, it means that computational intelligence and hard-won experience will work together better. Soil has been around for a long time and is very complicated. This is the first time the digital twin has been made. They might be just what sustainable farming needs.

References

1. Escribà-Gelonch, M., Liang, S., van Schalkwyk, P., Fisk, I., Long, N. V. D., & Hessel, V. (2024). Digital twins in agriculture: orchestration and applications. *Journal of agricultural and food chemistry*, 72(19), 10737-10752.
2. Subeesh, A., & Chauhan, N. (2025). Agricultural digital twin for smart farming: A review. *Green Technologies and Sustainability*, 100299.
3. Melesse, T. Y. (2025). Digital twin-based applications in crop monitoring. *Heliyon*, 11(2).
4. Banerjee, S., Mukherjee, A., & Kamboj, S. (2025). Precision agriculture revolution: integrating digital twins and advanced crop recommendation for optimal yield. *arXiv preprint arXiv:2502.04054*.
5. Willcox, K., Bingham, D., Chung, C., Chung, J., Cruz-Neira, C., Grant, C. J., & Ye, X. (2023). *Foundational research gaps and future directions for digital twins*. Washington, DC, USA: National Academies Press.
6. Ganapathysubramanian, B., Bell, J. M., Kantor, G., Merchant, N., Sarkar, S., Schnable, P. S., Segovia, M., Singh, A., & Singh, A. K. (2024). Aiira: AI institute for resilient agriculture. *AI Magazine*, 45(1), 94-98.