



AGRI MAGAZINE

(International E-Magazine for Agricultural Articles)

Volume: 03, Issue: 09 (September, 2026)

Available online at <http://www.agrimagazine.in>

© Agri Magazine, ISSN: 3048-8656

Can *Ganoderma* Make Hybrid Composites Better?

*Sandeep. J, Ashwini. M, Kushan. A and Shreya. S

Department of Microbiology, College of Agriculture, Dharwad, University of
Agricultural Sciences, Dharwad, Karnataka

*Corresponding Author's email: sandeepjavaprakash2003@gmail.com

Plastic and fungal mycelium appear to represent opposite material philosophies: one is synthetic and persistent, while the other is biological and biodegradable. Yet combining them can create an intriguing **hybrid composite** in which each component performs a different function. *Ganoderma lucidum* has already been grown on lignocellulosic substrates containing polypropylene, producing boards in which fungal hyphae formed dense networks around straw and polymer fragments. Microscopy showed extensive fungal colonization of the hybrid structure, while the resulting material exhibited compressive performance comparable to polystyrene together with improved thermal insulation. The emerging concept is therefore not simply “replacing plastic with fungi.” Instead, it asks whether **fungal networks can selectively reinforce, bind or restructure plastic-containing materials**, creating hybrid architectures with properties unavailable to either component alone.

Keywords: *Ganoderma lucidum*, fungal–polymer composites, polypropylene, mycelium, hybrid composites, plastic waste, biocomposites, sustainable materials

Introduction: An Unlikely Partnership

Plastic is exceptionally useful because it is lightweight, processable and mechanically durable. Its persistence, however, creates a major end-of-life challenge.

Mycelium offers almost the opposite material profile: it can grow through waste biomass, form interconnected hyphal networks and produce lightweight, porous structures.

So what happens when the two are combined?

Instead of asking:

“Can fungi replace plastic?”

a more interesting question is:

“Can fungi and plastic perform different jobs inside the same material?”

That is the basis of fungal–polymer hybrid composites.

The *Ganoderma*–Plastic Interface

One of the clearest demonstrations involved *Ganoderma lucidum* grown on a mixture containing **wheat straw and polypropylene strips**.

The polypropylene represented the synthetic component, while wheat straw provided a lignocellulosic growth substrate. *Ganoderma* colonized the mixture and produced an interconnected network of fungal filaments across the straw and polymer-containing regions.

The resulting architecture can be simplified as:

Polypropylene + Straw + *Ganoderma* hyphae



Hybrid interpenetrating structure



Mechanical + thermal functionality

This is fundamentally different from simply adding plastic fibres to an ordinary bio-composite.

Why Would Fungus Grow Near Plastic?

The fungus does not necessarily use polypropylene as its primary nutrient source. Instead, the **lignocellulosic fraction provides the biologically accessible substrate**, while the polymer acts primarily as a structural component. *Ganoderma* is capable of producing enzymes involved in lignocellulose degradation, allowing its hyphae to colonize materials such as wheat straw. The result is a fascinating division of labour:

Straw → biological substrate

Ganoderma → living binder/network


Polypropylene → synthetic reinforcement

This makes the composite resemble a **biological–synthetic hybrid skeleton**.

The Hyphae Become the Missing Bridge

The biggest challenge in combining hydrophilic biological materials with hydrophobic plastics is **interfacial compatibility**. Plastic surfaces do not naturally behave like lignocellulosic fibres. But fungal hyphae can physically spread across different surfaces and create a continuous biological network. Microscopy of the *Ganoderma* composite revealed thin, elongated and branched fungal filaments extending across the substrate.

Conceptually:



The fungus therefore becomes a potential **biological bridge between otherwise incompatible components**.

Plastic Can Become the Skeleton

In conventional mycelium composites, lignocellulosic particles provide much of the structural framework.

In a hybrid composite, however, polymer fragments or fibres can potentially contribute:

- dimensional stability,
- reinforcement,
- toughness,
- resistance to deformation,
- reduced moisture sensitivity.

Meanwhile, fungal biomass can provide:

- particle binding,
- network formation,
- lightweight structure,
- biological processing,
- additional thermal and acoustic functionality.

This creates a **division of mechanical roles** rather than forcing one component to perform everything.

What Did *Ganoderma* Actually Achieve?

The *G. lucidum*–wheat straw–polypropylene system demonstrated that a fungal network could successfully form throughout a mixed lignocellulosic/polymer architecture. The resulting biomaterial was reported to have compressive strength comparable to polystyrene while providing improved thermal insulation. That finding is important because it suggests that fungal growth does not necessarily require an entirely biodegradable matrix.

Instead:

A fungus can act as a biological architect inside a partially synthetic material.

This opens an entirely different direction for mycelium engineering.

But There Is a Catch

The word “**hybrid**” should not automatically be interpreted as “fully sustainable.” If polypropylene remains in the final material, the polymer component retains its persistence and end-of-life challenges. Therefore, the environmental benefit depends strongly on:

polymer type + polymer quantity + source of polymer + durability + recyclability + final disposal

A hybrid material containing virgin polypropylene is fundamentally different from one incorporating **recovered plastic waste**. This distinction is essential when discussing circular materials.

Could Waste Plastic Become the Reinforcement?

This is perhaps the most exciting unexplored possibility.

Imagine replacing virgin polypropylene with:

recycled packaging fragments

recovered plastic fibres

recycled polymer flakes

post-consumer polymer particles

The fungus could potentially bind these fragments together with agricultural residues.

The conceptual structure would become:

Agricultural waste + recycled plastic + *Ganoderma*

↓
Fungal colonization

↓
Hyphal binding

↓
Densification

↓
Hybrid bio-composite

This could transform two waste streams into a single engineered material.

However, this concept requires experimental validation for each polymer type and processing route; it should not be assumed that *Ganoderma* will colonize or bond equally well to every plastic.

The Interface Is More Important Than the Ingredients

A major lesson from fungal composites is that simply mixing materials does not guarantee improved performance. The critical region is the **interface**.

At microscopic scale:

Plastic surface ↔ fungal hypha ↔ lignocellulosic particle

The quality of this interface can influence:

- load transfer,
- crack propagation,
- moisture movement,
- interfacial failure,
- composite stiffness,
- durability.

Recent mycelium-composite research increasingly emphasizes the relationship between fungal morphology, substrate structure, processing and final material properties. Thus, future *Ganoderma* hybrid composites should be designed around **interface engineering**, not simply formulation.

A New Material Architecture


Traditional composite:

Matrix + Reinforcement

Fungal hybrid composite:

Biological network + lignocellulose + polymer

This creates multiple interacting scales:



Surface interactions between fungal cell-wall components and surrounding materials
This hierarchical architecture could potentially allow properties to be tuned through fungal growth itself.

Where Could These Hybrids Be Used?

Potential applications include:

- thermal insulation,
- packaging,
- interior panels,
- lightweight boards,
- acoustic materials,
- furniture components,
- protective structures.

Mycelium composites are already being investigated for packaging and construction because of their low density, thermal properties and ability to utilize agricultural residues.

For *Ganoderma*–polymer hybrids, applications requiring **moderate mechanical performance rather than structural load-bearing** may be particularly relevant until long-term durability and standardized testing are better established.

The Biggest Research Question

The most interesting question is no longer:

“Can *Ganoderma* grow in a plastic-containing composite?”

That has already been demonstrated.

The next question is:

Can fungal growth be deliberately controlled to engineer the plastic–fungus interface?

Imagine controlling:

hyphal density

- polymer particle size
- surface roughness
- fungal growth direction
- substrate composition
- compression
- drying

to create a predetermined hybrid microstructure.

That would move fungal composites from **biological growth** toward **biological manufacturing**.

The Future: From Replacement to Cooperation

The future of sustainable materials may not necessarily be about eliminating every synthetic component.

Instead, it may involve designing materials in which:

fungus provides connectivity

plant waste provides biomass

recycled polymer provides reinforcement

processing provides final architecture

Such a system could combine the advantages of biological and synthetic materials while reducing dependence on virgin resources.

Recent reviews similarly emphasize reinforcement strategies, process optimization and hybrid approaches as important directions for improving mycelium-based materials.

Conclusion

Ganoderma and plastic may appear to belong to completely different material worlds, but their combination reveals a fascinating possibility: **fungi hyphae can act as biological connectors within a synthetic–natural composite architecture**. The demonstrated *G. lucidum*–wheat straw–polypropylene system shows that fungal networks can colonize and bind a mixed biological/polymer structure while producing useful thermal and mechanical characteristics. The next frontier is more ambitious: using **recycled polymers rather than virgin plastics**, engineering the fungal–polymer interface and controlling hyphal architecture to create predictable properties.

The ultimate concept is therefore not:

“Fungi versus plastic.”

It is:

“Fungi + waste biomass + recycled polymer → a new hybrid material.”

References

1. Biby, S. R., Surendran, V., & Kundanati, L. (2025). Mycelium biocomposites from agricultural and paper waste: Sustainable alternative to plastic foam based secondary packaging. *Bioresource Technology Reports*, 31, 102177. <https://doi.org/10.1016/j.biteb.2025.102177>
2. Camilleri, E., Narayan, S., Lingam, D., & Blundell, R. (2025). Mycelium-based composites: An updated comprehensive overview. *Biotechnology Advances*, 79, 108517. <https://doi.org/10.1016/j.biotechadv.2025.108517>
3. Jones, M., Mautner, A., Luenco, S., Bismarck, A., & John, S. (2020). Engineered mycelium composite construction materials from fungal biorefineries: A critical review. *Materials & Design*, 187, 108397. <https://doi.org/10.1016/j.matdes.2019.108397>
4. Madusanka, C., Udayanga, D., Nilmini, R., Rajapaksha, S., Hewawasam, C., Manamgoda, D., & Vasco-Correa, J. (2024). A review of recent advances in fungal mycelium based composites. *Discover Materials*, 4, 13.
5. Răut, I., Călin, M., Vuluga, Z., Oancea, F., Paceagiu, J., Radu, N., Doni, M., Alexandrescu, E., Purcar, V., Gurban, A.-M., Petre, I., & Jecu, L. (2021). Fungal based biopolymer composites for construction materials. *Materials*, 14(11), 2906. <https://doi.org/10.3390/ma14112906>
6. Verma, N., Jujjavarapu, S. E., & Mahapatra, C. (2023). Green sustainable biocomposites: Substitute to plastics with innovative fungal mycelium based biomaterial. *Journal of Environmental Chemical Engineering*, 11(5), 110396. <https://doi.org/10.1016/j.jece.2023.110396>
7. Xu, S., Chen, C., & Wei, X. (2026). Mycelium-based biocomposites as sustainable polymer alternatives: Engineering strategies, structure–property relationships and circular packaging applications. *Polymers*, 18(16), 1946. <https://doi.org/10.3390/polym18161946>