



AGRI MAGAZINE

(International E-Magazine for Agricultural Articles)

Volume: 03, Issue: 09 (September, 2026)

Available online at <http://www.agrimagazine.in>

©Agri Magazine, ISSN: 3048-8656

Aquamimicry: Mimicking Nature for Sustainable Aquaculture- A Natural Approach to Better Water Quality, Natural Food Production and Healthy Shrimp and Fish

*Syed Hamza Syed Saidoddin and Nikhil Madhavrao Salunke

Assistant Fisheries Development Office, Latur, Government of Maharashtra, India

*Corresponding Author's email: shamza313@gmail.com

Modern aquaculture is becoming increasingly intensive to meet the growing demand for fish and shrimp. However, intensive farming can create several challenges, including accumulation of organic matter, ammonia and other nitrogenous wastes, deterioration of water quality, disease outbreaks and increasing dependence on formulated feeds. Aquamimicry is an emerging aquaculture approach that attempts to imitate the natural aquatic ecosystem inside a culture system. Instead of depending only on external feed and frequent water exchange, aquamimicry encourages the development of beneficial microorganisms, phytoplankton and zooplankton. These organisms form a natural food web that can support cultured animals and contribute to water-quality management.

The basic philosophy is simple:

“Work with nature rather than against nature.”

Aquamimicry has received particular attention in shrimp farming, but several of its principles can also be applied to fish culture.

What is Aquamimicry?

The term **aquamimicry** combines *aqua*, meaning water, and *mimicry*, meaning imitation. In aquaculture, it refers to management practices designed to reproduce some of the ecological conditions found in natural aquatic environments. Natural ponds, estuaries and coastal waters contain complex communities of bacteria, phytoplankton, zooplankton and other microorganisms. These organisms continuously recycle nutrients and organic matter. Aquamimicry attempts to encourage similar biological processes within a managed culture pond or tank.

An aquamimicry system generally focuses on:


- Beneficial microbial communities
- Natural plankton production
- Zooplankton development
- Organic matter recycling
- Stable water quality
- Reduced accumulation of toxic metabolites
- Improved availability of natural food

Unlike a system based entirely on chemical or mechanical control, aquamimicry places greater emphasis on **biological management**.

How Does Aquamimicry Work?

The principle can be understood through a simple natural food-web concept:

Organic matter → Beneficial bacteria → Phytoplankton → Zooplankton → Fish/Shrimp



When suitable organic substrates and microbial preparations are used under appropriate conditions, beneficial bacteria can multiply and participate in decomposition and nutrient cycling. Phytoplankton use available nutrients for growth, while zooplankton feed on microorganisms and phytoplankton. The cultured fish or shrimp can then obtain nutrition from this naturally developed food web. One important feature of aquamimicry is the promotion of zooplankton, particularly copepods, which are an important natural food for many aquatic animals, especially during early life stages. Thus, the pond becomes more than simply a place containing water and cultured animals—it functions as a living biological ecosystem.

Role of Fermented Products

Fermented products are commonly associated with aquamimicry practices. Fermentation can be used to prepare organic substrates containing microorganisms and metabolites that may support the development of desirable microbial communities. Depending on the culture system and local practice, farmers may use fermented agricultural materials or other suitable organic substrates. However, farmers should understand that more organic material does not necessarily mean better production. Excessive application can increase oxygen consumption, organic loading and deterioration of water quality. Therefore, fermented materials should be applied according to the requirements of the particular culture system and monitored carefully.

Importance of Beneficial Microorganisms

Microorganisms are the foundation of a healthy aquaculture ecosystem. Bacteria help break down uneaten feed, faecal matter and other organic materials.

Beneficial microbial communities can contribute to:

- Decomposition of organic matter
- Nutrient recycling
- Transformation of nitrogenous compounds
- Competition with undesirable microorganisms
- Production of microbial biomass
- Stabilization of the pond ecosystem

A healthy microbial community can therefore act as a biological water-treatment system. However, microbial activity depends strongly on environmental conditions such as temperature, dissolved oxygen, pH, salinity and availability of organic carbon. Good aeration and regular monitoring remain essential.

Zooplankton: Nature's Natural Feed

One of the most interesting aspects of aquamimicry is the development of natural zooplankton populations. Zooplankton such as copepods can provide an important natural food source for shrimp and fish. They contain proteins, lipids and other nutrients and may be particularly useful for young animals.

A simplified food chain can be represented as:

Nutrients → Phytoplankton → Copepods/Zooplankton → Shrimp/Fish

The development of this natural food web may help provide continuous availability of small natural food organisms in the culture environment. For nursery systems, maintaining suitable natural food organisms can be especially valuable because small fish and shrimp have high nutritional requirements during their early growth stages.

Aquamimicry and Water Quality

Good water quality is essential for successful aquaculture. Poor management of feed and organic matter can result in accumulation of ammonia, nitrite and other undesirable compounds. Aquamimicry attempts to use biological nutrient cycling to reduce the accumulation of organic wastes.

Important water-quality parameters that farmers should regularly monitor include:

Parameter	General management consideration
Dissolved oxygen	Maintain adequate oxygen through aeration
pH	Avoid sudden fluctuations
Temperature	Maintain species-appropriate conditions
Ammonia	Keep as low as possible
Nitrite	Monitor regularly
Alkalinity	Maintain adequate buffering capacity
Salinity	Maintain suitable level for the cultured species
Transparency	Observe plankton development and water condition

These values are culture- and species-dependent, so farmers should follow recommended ranges for their particular species and farming system. Aquamimicry should never be considered a substitute for routine water-quality monitoring.

Aquamimicry Compared with Conventional Culture

Traditional intensive aquaculture may depend heavily on formulated feed, water exchange and mechanical management. Aquamimicry instead attempts to increase the contribution of the natural biological community.

Conventional approach

Feed → Animal → Waste → Water exchange

Aquamimicry approach

Feed + Organic nutrients → Microorganisms → Plankton → Natural food → Animal → Nutrient recycling

The second approach attempts to retain and recycle a greater proportion of nutrients within the production system.

Potential Benefits for Farmers

When properly managed, aquamimicry may offer several potential benefits:

1. Development of natural food

The system encourages phytoplankton and zooplankton, providing additional natural food resources.

2. Biological nutrient recycling

Microorganisms help recycle nutrients and decompose organic matter.

3. Improved ecosystem stability

A diverse microbial and plankton community can contribute to a more biologically balanced culture environment.

4. Reduced dependence on water exchange

Better biological management may reduce the need for frequent water exchange in some systems, although the requirement depends on stocking density and water quality.

5. Potential feed-saving effect

Natural productivity can supplement formulated feed, particularly when the natural food community is well developed.

6. More sustainable production

By emphasizing nutrient recycling and biological processes, aquamimicry fits well with the broader objective of environmentally responsible aquaculture.

Important Precautions

Aquamimicry is **not simply the addition of probiotics or fermented products to a pond**. It is a broader ecosystem-management concept.

Farmers should avoid:

- Excessive addition of organic materials
- Overstocking
- Inadequate aeration
- Sudden changes in water quality
- Uncontrolled fermentation products
- Complete dependence on natural food
- Ignoring ammonia and nitrite measurements

Aeration remains extremely important, particularly in intensive systems, because microbial decomposition and animal respiration consume oxygen.

Farmers should also maintain good biosecurity, proper feeding practices and regular observation of animal health.

Future of Aquamimicry

The future of aquamimicry lies in combining traditional ecological knowledge with modern aquaculture technology. Sensors, automatic aeration systems, water-quality monitoring, probiotics, microbial analysis and precision feeding can be integrated with aquamimicry principles. Future research should focus on identifying beneficial microbial communities, optimizing fermentation practices, understanding plankton dynamics and quantifying the contribution of natural food to fish and shrimp growth. The approach may become particularly useful in developing low-water-exchange and environmentally responsible aquaculture systems.

References

1. Avnimelech, Y. (2015). *Biofloc Technology: A Practical Guide Book*. World Aquaculture Society.
2. FAO. (2024). *The State of World Fisheries and Aquaculture 2024*. Food and Agriculture Organization of the United Nations, Rome.
3. Kuhn, D.D., Lawrence, A.L., Crockett, J.K. & Taylor, D.P. (2010). Evaluation of bioflocs derived from different carbon sources as possible feed for shrimp. *Aquaculture*, 303, 1–6.
4. Pillay, T.V.R. & Kutty, M.N. (2005). *Aquaculture: Principles and Practices*. Blackwell Publishing.
5. Wasielesky, W., Atwood, H., Stokes, A. & Browdy, C.L. (2006). Effect of natural production in a zero-exchange suspended microbial floc-based super-intensive culture system for white shrimp *Litopenaeus vannamei*. *Aquaculture*, 258, 396–403.