



Waste to Wealth in Agriculture: Turning Crop Residues into Bio-Based Farm Resources

*Manohar Lal Meghwal¹ and Gargi Shekhar²

¹Assistant Professor, Horticulture (Fruit Science), Faculty of Agriculture & Veterinary Sciences, Mewar University, Chittorgarh, Rajasthan-312901, India

²Assistant Professor, Department of Agriculture, School of Agriculture, Dev Bhoomi Uttarakhand University, Dehradun, Uttarakhand, India

*Corresponding Author's email: manoharmeghwal77@gmail.com

Agriculture does not end when a crop is harvested. A substantial quantity of stalks, straw, husks, leaves, shells, cobs, peels and other biomass remains after the marketable portion of the crop has been removed. Traditionally, these materials have often been regarded as waste and, in some regions, are openly burned to clear fields rapidly. Such practices represent a loss of potentially useful carbon, nutrients and energy while contributing to air pollution and greenhouse-gas emissions. A more sustainable approach is to view crop residues as biological resources that can be converted into useful farm inputs, renewable energy and value-added products. This article explores the concept of “waste to wealth” in agriculture and discusses major pathways for crop-residue valorization, including composting, mulching, biochar production, anaerobic digestion, briquetting and pelletization, mushroom cultivation, bio-based materials, biofuels and integrated biorefinery systems. Particular attention is given to biochar, compost and biogas because these pathways can return carbon and nutrients to agricultural systems while reducing dependence on external inputs. The article also highlights the importance of residue quality, collection logistics, decentralized processing, farmer participation, market linkages and techno-economic feasibility. Future residue-management systems are likely to move from simple disposal toward integrated circular bioeconomies in which carbon, nutrients, energy and materials are recovered from agricultural biomass. Converting residues into resources can therefore create an opportunity to simultaneously improve soil health, reduce environmental pressure, generate rural employment and develop new agricultural enterprises.

Keywords: Crop residues; Biochar; Circular bioeconomy; Composting; Agricultural waste valorization

Introduction

Every harvest leaves behind more than grain, fruit, fibre or vegetables. Rice produces straw and husk; wheat leaves straw and chaff; maize produces stalks and cobs; sugarcane generates leaves and bagasse; cotton leaves stalks and other field residues; while horticultural crops generate prunings, peels, shells and rejected biomass. These materials contain carbon, minerals, structural carbohydrates and, in many cases, considerable amounts of recoverable energy. The traditional question has been: “How can agricultural waste be disposed of?” The more useful question for modern agriculture is: “How can agricultural residues be converted into another resource?” This change in thinking is at the heart of the waste-to-wealth concept. India generates large quantities of crop residues, and estimates vary according to crop, production year, residue-to-product ratio and methodology. A review published in the *Journal of Cereal Research* estimated approximately 686 million tonnes of gross crop residues and about 234 million tonnes of surplus residues annually in India. The

same review identified several pathways, including residue retention, incorporation, composting, biochar production, livestock feed, mushroom cultivation, biogas, biofuel and bioenergy production. Residue burning may provide a rapid method of field clearance, but it sacrifices an important biological resource. Recent research continues to emphasize the environmental costs of poorly managed residues and the need to shift toward resource recovery and circular management systems. The waste-to-wealth approach therefore considers crop residues not as useless leftovers but as **feedstocks for the next production cycle**. Straw can become compost or biochar; husks can become fuel or building materials; organic residues can generate biogas; and lignocellulosic biomass can become a raw material for emerging biorefineries. The objective is not simply to eliminate waste. It is to **retain value within the agricultural system**.

Literature Review

Crop residues as renewable biological resources

Crop residues are predominantly composed of lignocellulosic materials containing varying proportions of cellulose, hemicellulose and lignin. Their composition differs considerably among crops and even among varieties and production systems. Consequently, there is no single residue-management technology that is appropriate for every farm. Residues with high moisture content may be better suited to biological processing such as anaerobic digestion or composting, whereas dry residues may be appropriate for briquetting, pelletization, combustion or thermochemical conversion. Recent reviews describe agricultural biomass waste as an important resource for renewable energy, nutrient recovery and bio-based product development. Advanced approaches include anaerobic digestion, biorefinery systems, thermochemical conversion and material production.

Composting and organic nutrient recycling

Composting is among the simplest ways of converting crop residues into a useful agricultural input. Straw, leaves and other biomass can be combined with nitrogen-rich materials such as animal manure or suitable green biomass to produce stabilized organic matter. Well-managed compost can improve soil organic matter, support microbial activity and contribute nutrients to crops. However, efficient composting requires appropriate moisture, aeration, particle size and carbon-to-nitrogen balance. Biochar can also be incorporated into composting systems. Research indicates that biochar may influence nitrogen retention, microbial activity, composting performance and the quality of the final compost.

Biochar: converting carbon into a stable resource

Biochar is a carbon-rich material produced through the thermal conversion of biomass under oxygen-limited conditions. Crop residues such as rice husk, straw, maize cobs, cotton residues and other biomass can serve as feedstocks. Its value lies partly in its relatively stable carbon structure and porous surface. Depending on its feedstock and production conditions, biochar can influence soil physical properties, nutrient retention, water relations and microbial processes. Indian agricultural literature has highlighted biochar as an approach for converting low-value crop residues into a potentially useful soil amendment and carbon-storage material. However, biochar should not be treated as a universally beneficial product. Its performance depends on feedstock, pyrolysis temperature, application rate, soil characteristics and crop response. Research has also identified cases where biochar produces limited or inconsistent yield benefits, emphasizing the need for site-specific evaluation.

Anaerobic digestion and biogas

Wet agricultural residues and mixed organic wastes can be processed through anaerobic digestion. Microorganisms break down organic matter in the absence of oxygen and produce biogas, which contains methane and carbon dioxide. The remaining digestate can potentially be used as a nutrient-rich agricultural amendment after appropriate treatment and quality assessment. Recent studies have explored the integration of crop residues, anaerobic digestion and biochar. Biochar can influence microbial processes, pH stability and process performance in anaerobic digestion systems, although dosage and feedstock characteristics are important.

This creates an interesting circular pathway:

Crop residue → Anaerobic digestion → Biogas + Digestate → Energy + Soil nutrient recycling

Briquetting and pelletization

Dry agricultural residues can be densified into briquettes or pellets. Densification reduces the bulkiness of loose biomass, facilitates transportation and creates a more uniform fuel. Residues from rice, wheat, maize, cotton and other crops can potentially be used depending on their physical and chemical characteristics. The approach is particularly relevant where agricultural biomass is available in concentrated quantities near processing units. It can also create rural enterprises around residue collection, drying, processing, storage and fuel distribution.

Mushroom cultivation and biological value addition

Certain agricultural residues can serve as substrates for mushroom production after appropriate preparation. Straw, cotton waste, sawdust and other lignocellulosic materials may support mushroom cultivation depending on species and substrate quality. This approach is particularly attractive because it does more than remove residue. It converts a low-value biomass stream into food and generates a spent substrate that can subsequently be composted or otherwise recycled.

Emerging bio-based products

The concept of agricultural waste valorization is expanding beyond conventional compost, fuel and biochar.

Research is increasingly investigating the conversion of residues into:

- Biofuels and bio-oil
- Biogas and biomethane
- Biochemicals
- Bioplastics
- Cellulose-based materials
- Fibre boards and composites
- Packaging materials
- Adsorbents
- Soil amendments
- Bio-based fertilizers and nutrient carriers
- High-value chemicals and enzymes

Recent reviews describe this transition as movement toward agricultural biorefineries, where one biomass stream can generate multiple products rather than a single low-value output.

Materials and Methods

This magazine article was developed using a **structured literature-based review and synthesis approach**.

Relevant scientific literature, agricultural research publications and institutional resources dealing with crop-residue management, biomass conversion, biochar, composting, anaerobic digestion, bioenergy and circular bioeconomy were examined.

The literature was conceptually organized into five major stages:

1. Identification of major agricultural residue streams
2. Classification according to physical and biochemical characteristics
3. Identification of suitable valorization pathways
4. Assessment of agricultural, environmental and economic benefits
5. Identification of technological and adoption challenges

The principal conversion pathways considered were composting, mulching and incorporation, biochar production, anaerobic digestion, densified biomass production, mushroom cultivation, thermochemical conversion and emerging biorefinery approaches. The objective was not to generate new experimental data but to synthesize established knowledge into a practical framework relevant to farmers, agricultural entrepreneurs, researchers, extension professionals and policymakers.

Results and Discussion

From “residue disposal” to “resource recovery”

The most important result emerging from the literature is a change in the conceptual value of crop residues.

A residue may simultaneously represent:

Carbon + Nutrients + Energy + Raw Material + Rural Enterprise Opportunity

Instead of viewing these components separately, circular agriculture seeks to recover as many of them as technically and economically feasible.

For example, rice straw can potentially be retained in the field for soil protection, collected for mushroom production, converted into biochar, processed into fuel or incorporated into other biomass-based products. The appropriate pathway depends on soil requirements, residue availability, machinery, transportation distance, market demand and local economics.

Table: Major crop-residue conversion pathways

Residue/resource	Conversion pathway	Potential product	Major agricultural value
Rice straw	Composting	Compost	Organic matter and nutrient recycling
Rice husk	Pyrolysis	Biochar	Soil amendment/carbon management
Maize cobs	Pyrolysis	Biochar	Carbon-rich soil amendment
Maize stalks	Densification	Briquettes/pellets	Renewable solid fuel
Wheat straw	Mulching/incorporation	Soil organic matter	Soil protection and carbon recycling
Sugarcane bagasse	Bioenergy	Heat/electricity	Renewable energy
Fruit and vegetable residues	Composting	Organic manure	Nutrient recycling
Mixed organic biomass	Anaerobic digestion	Biogas + digestate	Energy and nutrient recovery
Cotton residues	Briquetting/pyrolysis	Fuel/biochar	Energy and value addition
Straw and other lignocellulosic biomass	Mushroom cultivation	Mushrooms + spent substrate	Food and additional biomass utilization
Agricultural fibres	Material processing	Boards/composites	Bio-based materials

The literature supports the use of multiple pathways rather than dependence on a single technology.

Biochar and soil health

Among residue-valorization technologies, biochar has received particular attention because it connects waste management with soil management.

A simplified pathway is:

Crop residue → Drying → Size reduction → Pyrolysis → Biochar + Bio-oil + Syngas → Agricultural utilization

The resulting biochar may be used directly in soil, incorporated into compost, or used as a component of nutrient-management systems.

Its porous structure can provide microsites for microorganisms and influence water and nutrient retention. However, the agronomic response is highly dependent on soil type and biochar characteristics.

A recent review emphasizes that feedstock selection and pyrolysis conditions are central to determining biochar properties and its suitability for specific agricultural uses.

Therefore, “one biochar fits all soils” is not a scientifically sound approach.

Compost–biochar combinations

An emerging strategy is to combine biochar with compost rather than treating them as competing technologies.

The combination can potentially provide:

- A carbon-rich structural component
- Improved nutrient retention
- Enhanced composting conditions
- Greater stabilization of organic matter
- Improved soil amendment quality

Research has reported beneficial interactions between biochar and compost, while also emphasizing that results depend on feedstock, application rate and environmental conditions.

This provides a practical opportunity for village-level enterprises:

Crop residue + animal manure → Composting → Biochar enrichment → Packaged soil amendment

Such products could potentially be marketed to horticultural nurseries, vegetable growers, organic farms and protected-cultivation enterprises, subject to appropriate quality standards.

Waste-to-energy pathways

Not every residue should necessarily return directly to the soil.

Where surplus biomass is available, energy recovery can provide another pathway.




Figure 1. Energy recovery Pathway

FAO recognizes crop residues and other organic materials from agrifood systems as potential feedstocks for sustainable bioenergy, while emphasizing the importance of sustainability assessment and monitoring across the bioenergy value chain.

The economics of residue management

The economic value of crop residues is not determined only by the final product. Logistics often determine whether a residue-based business succeeds or fails.

Important cost components include:

- Collection
- Baling
- Loading and unloading
- Transportation
- Drying
- Storage
- Size reduction
- Processing
- Labour
- Equipment maintenance
- Quality testing
- Packaging
- Marketing

A technically excellent technology can become economically unattractive if residues must be transported over long distances.

Therefore, **decentralized processing close to residue-generation centres** may be particularly important for small and medium agricultural enterprises.

Village-level or cluster-level units can potentially reduce transportation costs and create local employment.

From individual technology to integrated circular systems

The next generation of residue management is likely to involve integrated systems rather than isolated technologies.

For example:

Crop residues → Sorting → High-value fraction → Biorefinery

Low-value lignocellulosic fraction → Pyrolysis → Biochar + Bio-oil + Gas

Organic fraction → Anaerobic digestion → Biogas + Digestate

Digestate + biomass → Composting → Soil amendment

Biochar + compost → Farm application

This creates a loop in which carbon, nutrients and energy are recovered rather than lost.

Recent literature increasingly highlights integrated anaerobic digestion–pyrolysis and digestion–composting systems as promising routes for circular bioeconomy development.

Environmental benefits

Effective residue valorization can contribute to several environmental objectives.

Reduced open-field burning

Replacing burning with productive uses reduces direct emissions and prevents the loss of potentially recoverable nutrients and carbon.

Improved soil organic matter

Returning compost, stabilized biomass or appropriate biochar to soil can contribute to organic carbon management.

Nutrient recycling

Residues contain nutrients absorbed during crop growth. Recycling these materials can return part of the nutrient pool to agricultural land.

Renewable energy generation

Anaerobic digestion and thermochemical conversion can transform biomass into useful energy carriers.

Carbon management

Biochar provides a pathway for converting a fraction of biomass carbon into a comparatively stable form that can remain in soil for extended periods, although the magnitude of climate

benefit depends on feedstock, production process, transport, application and system boundaries.

Challenges that cannot be ignored

The waste-to-wealth concept is promising, but it is not automatically profitable or environmentally beneficial.

Major challenges include:

1. Seasonal availability of residues
2. High moisture content in some biomass
3. Scattered distribution of residues
4. High transportation costs
5. Lack of appropriate machinery
6. Limited storage infrastructure
7. Variable feedstock quality
8. Insufficient farmer awareness
9. Limited local markets for value-added products
10. Initial investment requirements
11. Need for quality standards
12. Potential contamination of unsuitable feedstocks
13. Competition between soil retention and off-farm removal

The last point is particularly important. Removing every kilogram of residue from a field is not necessarily sustainable. Some residues perform important functions as mulch, soil cover, carbon inputs and habitat for soil organisms.

Consequently, the objective should be **optimal residue allocation**, not maximum residue extraction.

Future Aspects

The future of agricultural waste management lies in combining **agronomy, engineering, biotechnology, digital technology and rural entrepreneurship**.

Smart residue mapping

Satellite imagery, GIS, drones and digital farm records can help identify where large quantities of residues are generated. Such information could support collection-route planning and biomass supply-chain development.

Mobile and decentralized processing

Instead of transporting bulky raw biomass over long distances, mobile balers, shredders, compactors and modular processing units can bring processing closer to farms.

AI-assisted biomass decision systems

Artificial intelligence can potentially help select the most appropriate conversion pathway based on:

- Crop type
- Residue quantity
- Moisture
- Carbon-to-nitrogen ratio
- Soil characteristics
- Local energy demand
- Transportation distance
- Market price
- Processing cost

This could eventually produce **farm-specific residue-management recommendations**.

Integrated biorefineries

Future agricultural processing facilities may produce multiple products from a single residue stream rather than focusing on one output.

For example:

Crop residue → Pretreatment → Sugars + Fibres + Biochar + Bioenergy + Biochemicals

Such systems can improve resource utilization and reduce dependence on a single product market.

Biochar-based nutrient management

Future research is likely to focus on engineered biochar, nutrient-loaded biochar and biochar–compost combinations designed for specific crops and soil conditions.

Residue-based rural enterprises

Crop-residue processing can create employment in:

- Collection
- Baling
- Transportation
- Compost production
- Biochar manufacturing
- Briquette production
- Pellet manufacturing
- Mushroom production
- Biogas plants
- Packaging
- Bio-based material manufacturing

ICAR-CIRCOT has recently demonstrated farmer-awareness activities involving crop-residue management and value addition through pellet making, briquetting, biochar production and composting, illustrating the practical relevance of these technologies at the field level.

Circular agricultural villages

A particularly promising model is the development of **village-level circular bioeconomy clusters**.

A cluster could operate as follows:

Crop residues → Collection centre → Processing unit → Biochar/compost/energy/products → Local farms and markets

This model could keep more of the economic value within rural communities while reducing the need for long-distance transportation.

Conclusion

Agricultural residues should no longer be viewed simply as a disposal problem. They are a reservoir of **carbon, nutrients, energy, fibres and biological materials** that can support the next generation of sustainable agriculture. The transition from waste to wealth requires a change in both technology and mindset. Composting can return organic matter to soil; biochar can provide a stable carbon-rich amendment; anaerobic digestion can generate biogas and digestate; densification can convert loose biomass into transportable fuel; mushroom cultivation can convert straw into food; and advanced biorefineries can transform lignocellulosic residues into fuels, chemicals and bio-based materials. However, successful residue valorization must remain site-specific. Not all residues should be removed from fields, and not every conversion technology is economically appropriate everywhere. The most effective systems will combine **soil needs, residue availability, processing technology, environmental safeguards and market demand**. The real opportunity is therefore not simply to eliminate agricultural waste. It is to build a system in which one farm's residue becomes another farm's input, one processing unit's by-product becomes another enterprise's raw material, and biomass that once created pollution becomes a source of income.

The future of sustainable agriculture may depend not only on producing more from the land, but also on learning to waste less of what the land already produces.

References

1. Abdel Maksoud, M. I. A., et al. (2022). Biochar for agronomy, animal farming, anaerobic digestion, composting, water treatment, soil remediation, construction, energy storage, and carbon sequestration: A review. *Environmental Chemistry Letters*, 20, 2385–2425.
2. Datta, D., & Saxena, S. C. (2017). Efficient recycling of crop residue through biochar for better agriculture and environment. *Indian Farming*, 67(4).
3. Hoang, A. T., Goldfarb, J. L., Foley, A. M., et al. (2022). Production of biochar from crop residues and its application for anaerobic digestion. *Bioresource Technology*, 363, 127970. <https://doi.org/10.1016/j.biortech.2022.127970>
4. Jadhav, S., Kamble, S., Patil, S., Raut, D., & Shende, S. (2026). Crop residue management for climate-smart agriculture: Alternatives to burning and pathways to circularity. *Journal of Geography, Environment and Earth Science International*, 30(6), 1–17. <https://doi.org/10.9734/jgeesi/2026/v30i61058>
5. Jain, N., Bhatia, A., & Prasad, R. (2015). Biomass burning and options for its management. *Indian Farming*.
6. Li, Y., Gupta, R., Zhang, Q., & You, S. (2022). Review of biochar production via crop residue pyrolysis: Development and perspectives. *Bioresource Technology*, 128423. <https://doi.org/10.1016/j.biortech.2022.128423>
7. Ren, L., Kong, X., Su, J., Zhao, D., Dong, W., Liu, C., Liu, C., Luo, L., & Yan, B. (2022). Oriented conversion of agricultural bio-waste to value-added products: A schematic review towards key nutrient circulation. *Bioresource Technology*, 344, 126263.
8. Sahu, R., Sohane, R. K., & Kumar, R. (2024). Crop residue management: An approach to transforming waste into health. *Indian Farming*.
9. Singh, D., & Mina, U. (2022). On and off farm crop residue management: A brief review on options, benefits, drawbacks, limitations and policy interventions. *Journal of Cereal Research*, 14(2). <https://doi.org/10.25174/2582-2675/2022/123108>
10. Audette, Y., Higashikawa, F. S., Silva, C. A., Akashi, K., & Mondini, C. (2020). Role of biochar in promoting circular economy in the agriculture sector. Part 2: A review of the biochar roles in growing media, composting and as soil amendment. *Chemical and Biological Technologies in Agriculture*, 7. <https://doi.org/10.1186/s40538-020-00179-3>
11. Yan, F. (2025). Agricultural biomass wastes and their resource utilization technologies: A review. *Biomass and Bioenergy*, 203, 108291. <https://doi.org/10.1016/j.biombioe.2025.108291>
12. Chen, X., Hao, Y., Lin, W., et al. (2025). From plant-based food waste to biochar: A green strategy for agri-food supply chain waste valorization—A comprehensive review. *Trends in Food Science & Technology*, 105385. <https://doi.org/10.1016/j.tifs.2025.105385>
13. Azad, B., Wu, L., Duan, H., & Qian, J. (2025). Enhanced anaerobic digestion performance with carbon-based material additives towards sustainable energy production: A comprehensive review. *Journal of Cleaner Production*, 525, 146616. <https://doi.org/10.1016/j.jclepro.2025.146616>
14. FAO. (n.d.). Sustainable bioenergy from agriculture. Food and Agriculture Organization of the United Nations.
15. Nishmath, S. A., Rani, J. A., Murugan, P. P., et al. (2026). Agro-waste management in India: A thematic review of practices, impacts and sustainable pathways. *Plant Science Today*, 13(Special Issue 2). <https://doi.org/10.14719/pst.2026.13.sp2>