



AGRI MAGAZINE

(International E-Magazine for Agricultural Articles)

Volume: 03, Issue: 10 (October, 2026)

Available online at <http://www.agrimagazine.in>

©Agri Magazine, ISSN: 3048-8656

Aeroponics and Hydroponics: Modern Soilless Systems for Efficient Crop Production

*B.T. Suresh Kumar¹, H. Svarna¹ and Velukuru Sahithi Sree²

¹Ph.D. Research Scholar, Department of Agronomy, SRM College of Agricultural Sciences, SRM Institute of Science and Technology, Baburayanpettai, Chengalpattu District-603201, Tamil Nadu, India

²Post Graduate Research Scholar, Department of Agronomy, SRM College of Agricultural Sciences, SRM Institute of Science and Technology, Baburayanpettai, Chengalpattu District-603201, Tamil Nadu, India

*Corresponding Author's email: sureshselvam488@gmail.com

Aeroponics and hydroponics are soilless crop-production systems that supply water and mineral nutrients directly to plant roots under controlled conditions. Hydroponics grows plants in nutrient solution or inert substrates, whereas aeroponics suspends roots in air and supplies nutrients as a fine mist. Both systems can improve water and nutrient-use efficiency, support year-round production and enable cultivation where fertile soil or space is limited. Their performance, however, depends on careful management of pH, electrical conductivity, oxygen, temperature, sanitation and energy supply. This article explains the basic working principles, major system types, benefits, emerging automation and practical limitations of aeroponics and hydroponics. With appropriate crop selection, monitoring and technical support, these technologies can complement conventional agriculture, particularly in urban, peri-urban and controlled-environment production.

Keywords: aeroponics, hydroponics, soilless cultivation, controlled environment, resource efficiency

Introduction

Soilless cultivation is receiving increasing attention because it can produce crops where soil quality, land availability or water supply limits conventional farming. Hydroponics delivers water and nutrients directly to roots, while aeroponics exposes roots to air and applies a nutrient-rich mist. Both are forms of controlled-environment agriculture and are commonly used for leafy vegetables, herbs, seedlings and other high-value crops. Modern systems increasingly combine sensors, pumps, automation and data-based management to maintain the root-zone environment (Lakhiar *et al.*, 2018; Velazquez-Gonzalez *et al.*, 2022). These technologies should not be viewed as universal replacements for field agriculture. Their strength lies in producing more per unit area, recycling water and nutrients, and enabling production close to consumers. Their limitations include initial investment, technical skill, dependence on electricity and the need for careful management of nutrient solution and sanitation.

How hydroponics and aeroponics work

In hydroponics, roots receive a balanced nutrient solution either directly in water or through an inert support medium such as cocopeat, perlite or rockwool. Common systems include deep-water culture, nutrient film technique (NFT), drip systems and ebb-and-flow. The nutrient solution is usually recirculated, and crop performance depends strongly on maintaining suitable pH, electrical conductivity (EC), temperature and dissolved oxygen.

In aeroponics, roots are suspended in a dark chamber and periodically sprayed with a fine nutrient mist. This provides high root-zone aeration and allows rapid adjustment of nutrient delivery. Low-pressure systems are simpler, while high-pressure systems generate finer droplets and generally require more precise pumps, nozzles and filtration. Reviews of aeroponic technology emphasize the importance of sensors, automated nutrient delivery and reliable control systems (Garzón *et al.*, 2023).




Fig. 1. Basic working pathways of hydroponic and aeroponic crop production

Why these systems are useful

The major advantage of soilless cultivation is precise resource management. Water is applied directly to the root zone and can be recirculated after monitoring and correction. Nutrient losses can also be reduced because fertilizers are dissolved and delivered according to crop demand. Controlled systems allow production on rooftops, in protected structures and in urban or peri-urban areas where good agricultural soil is unavailable. Hydroponics can achieve high productivity and very low water use per unit of produce, but these gains may be accompanied by higher energy demand when pumps, artificial lighting, cooling or heating are required. A lettuce comparison by Barbosa *et al.* (2015) illustrated this important water-energy trade-off. Sustainability therefore depends not only on water savings but also on the source and efficiency of energy used. More recent work links hydroponics with circular resource use, renewable energy and urban food production (Chatterjee *et al.*, 2025).

Automation and emerging technologies

Sensors and automation are making soilless systems easier to manage. pH, EC, nutrient-solution temperature, air temperature, humidity and water level can be monitored continuously. Controllers can activate pumps, dosing units, ventilation or lighting when values move outside selected limits. Internet of Things (IoT) platforms can send alerts to mobile devices, while data analytics can help identify trends before visible crop stress occurs. Technology is especially important in aeroponics because interruptions in misting can expose roots to rapid drying. Garzón *et al.* (2023) found sensing and Industry 4.0 technologies to be prominent areas of aeroponic development, while also identifying technical complexity and power dependence as important constraints. In hydroponics, small- and medium-scale automation can improve consistency by helping growers manage pH, EC, temperature and nutrient delivery more accurately (Velazquez-Gonzalez *et al.*, 2022).

Practical management and common challenges

Successful soilless farming requires routine monitoring rather than occasional correction. Poor water quality, incorrect nutrient concentration, unsuitable pH, blocked nozzles, pump failure, root-zone heating and pathogen spread can quickly affect the whole crop. Backup power, clean reservoirs, filtration, regular sanitation and calibration of meters are therefore essential. Initial investment can also limit adoption, particularly for small farmers. Modular systems offer a practical way to begin at small scale and expand after learning the crop and market. Crop choice is important: fast-growing leafy vegetables and herbs are often easier starting crops than species with long cycles or heavy support requirements. Training and reliable technical service can reduce risk during early adoption.




Fig. 2. Simple management cycle for successful soilless crop production

Future scope

Future development will focus on lower-cost sensors, renewable energy, efficient LED lighting, automated nutrient dosing, recyclable substrates and closed-loop water systems. These improvements can reduce operating costs and environmental impacts. The most appropriate system will continue to depend on crop value, climate, energy price, water quality, market access and the skill of the grower. Research and extension should therefore evaluate economic performance along with yield and resource efficiency.

Conclusion

Aeroponics and hydroponics provide flexible options for producing crops without conventional soil. Hydroponics offers several mature system designs, while aeroponics provides excellent root aeration and highly targeted nutrient delivery. Both can conserve water and support intensive production, but they require reliable energy, careful nutrient management, sanitation and technical knowledge. Their greatest value is likely to be in locations where land, soil or water is limiting and where year-round, high-quality production can justify the investment. Combining sound horticultural management with simple monitoring, automation and renewable energy can make soilless farming more practical, efficient and sustainable.

References

1. Barbosa GL, Gadelha FDA, Kublik N, Proctor A, Reichelm L, Weissinger E, Wohlleb GM and Halden RU (2015). Comparison of land, water, and energy requirements of lettuce grown using hydroponic vs. conventional agricultural methods. *International Journal of Environmental Research and Public Health* 12(6): 6879-6891. <https://doi.org/10.3390/ijerph120606879>

2. Chatterjee A, Ghosh P, Winkler B, Vijayaragavan V, Debnath S, Cichocki J, Trenkner M, Vanicela B, Riethmueller C, Walz M, Chandra S and Pal H (2025). Demystifying the integration of hydroponics cultivation system reinforcing bioeconomy and sustainable agricultural growth. *Scientia Horticulturae* 341: 113973. <https://doi.org/10.1016/j.scienta.2025.113973>
3. Garzón J, Montes L, Garzón J and Lampropoulos G (2023). Systematic review of technology in aeroponics: Introducing the Technology Adoption and Integration in Sustainable Agriculture model. *Agronomy* 13(10): 2517. <https://doi.org/10.3390/agronomy13102517>
4. Lakhia IA, Gao J, Syed TN, Chandio FA and Buttar NA (2018). Modern plant cultivation technologies in agriculture under controlled environment: a review on aeroponics. *Journal of Plant Interactions* 13(1): 338-352. <https://doi.org/10.1080/17429145.2018.1472308>
5. Velazquez-Gonzalez RS, Garcia-Garcia AL, Ventura-Zapata E, Barceinas-Sanchez JDO and Sosa-Savedra JC (2022). A review on hydroponics and the technologies associated for medium- and small-scale operations. *Agriculture* 12(5): 646. <https://doi.org/10.3390/agriculture12050646>