



Shielding the Indian Platter: Crop Improvement Programmes to Mitigate El Niño Challenges – The Indian Scenario

*Dr. P Bindu Priya

Associate Professor, Department of Genetics & Plant Breeding, PJTAU,
Rajendranagar, Hyderabad, India

*Corresponding Author's email: bindupriya.gpb1@gmail.com

The Indian Southwest Monsoon operates as a non-linear exogenous variable influencing aggregate supply, headline inflation trajectories, rural demand elasticity and sub-national fiscal stability. For a nation where agriculture supports nearly 60% of the population and contributes roughly 18% to the Gross Domestic Product (GDP), the annual rains are the lifeblood of rural livelihoods. However, this vital system frequently faces a powerful disruption from the tropical Pacific Ocean: El Niño. An El Niño event is characterized by the abnormal warming of surface waters in the central and eastern tropical Pacific. This shifts global atmospheric circulations, typically leading to a weakened southwest monsoon, prolonged dry spells, and soaring seasonal temperatures across the Indian subcontinent. The agricultural fallout can be devastating, resulting in significant yield declines for key *Kharif* (summer) crops like paddy, maize, cotton, and pulses which in turn fuels food inflation and erodes rural incomes. To counter this recurring threat, India's agricultural scientific ecosystem - spearheaded by the Indian Council of Agricultural Research (ICAR) - has shifted its focus from reactive crisis management to proactive climate resilience. Through advanced crop improvement programmes, Indian scientists are altering the genetic architecture of major staples to build a climate-smart agricultural system capable of withstand severe El Niño cycles.

The Anatomy of El Niño's Agricultural Toll

When El Niño suppresses monsoon rainfall, it hits rain-fed agriculture through dual stressors: moisture stress (drought) and thermal stress (extreme heat).

- **Moisture Deficits during Critical Stages:** For a water-intensive crop like rice, a delayed or weak monsoon severely disrupts nursery establishment and transplanting. If dry spells coincide with the flowering or grain-filling stages of crops like maize, soybean, or pulses, the plants fail to develop healthy seeds or pods, leading to stark yield drops.
- **Elevated Heat and Terminal Stress:** El Niño-induced spikes in temperature accelerate crop maturity, reducing the time a plant has to accumulate biomass. In pulses, high thermal stress causes flower drop, while in cereal crops it results in shrivelled grains.

The projected impacts underscore the urgency of mitigation. For instance, severe El Niño conditions can trigger a broad contraction in major *Kharif* outputs:

Institutional Framework: Deploying Science to the Field

India's primary defense against climate anomalies is driven by the National Agricultural Research System (NARS), under the aegis of ICAR. A flagship institutional vehicle for this transformation is the National Innovations in Climate Resilient Agriculture (NICRA) project. Launched to address long-term climate vulnerabilities, NICRA brings together natural resource management, crop improvement, livestock, and extension services onto a single platform. A cornerstone of this network is the use of state-of-the-art precision phenotyping platforms and high-throughput genomics. These technologies allow scientists to screen

thousands of native germplasms and crop wild relatives to locate hidden genes responsible for surviving extreme drought and heat. Once identified, these traits are integrated into commercial lines, tested across a network of Krishi Vigyan Kendras (KVKs), and rolled out to climate-vulnerable villages to ensure laboratory innovations reach the farmers' fields.

Breakthrough Frontiers in Crop Improvement

Over the last decade, ICAR and partnering state agricultural universities have released thousands of stress-tolerant field crop varieties. These breakthroughs generally fall into three strategic categories:

A. Escape Through Earliness: Short-Duration Varieties

One of the most effective strategies during a delayed monsoon is to simply outrun the drought. Traditional crops that require 140–150 days to mature risk running completely out of water if the monsoon retreats early. Crop breeding has successfully compressed these life cycles:

- **Short-Duration Paddy:** Modern varieties maturing in less than 115–125 days allow farmers to sow later when delayed El Niño rains finally arrive, yet harvest a full yield before the soil dries up completely.
- **Early Pulses and Oilseeds:** Early-maturing green gram (moong) and black gram varieties provide flexible alternatives that can be sown in place of failed long-duration crops.

B. Breeding for True Drought and Moisture Stress Tolerance

Beyond escaping dry periods, crop improvement programs focus on engineered survival. Scientists utilize Genomics-Assisted Breeding (GAB) to identify and transfer Quantitative Trait Loci (QTLs) - clusters of genes governing complex traits into high-yielding varieties.

- **Deep-Rooting Systems:** Breeding programs have selected varieties with deeper, more branched root architectures that can tap into subsoil moisture when the surface layer parches.
- **Cellular Resilience:** Traits that regulate stomatal closure help plants reduce water loss via transpiration during dry spells without shutting down photosynthesis entirely. For example, breakthrough chickpea varieties like *IPC L4-14* and *BGM 4005* incorporate a specific 'QTL-hotspot' for drought tolerance, outperforming parental lines under rain-fed conditions.

C. Defeating Terminal Heat Stress

Because El Niño brings abnormal warmth, crops frequently experience damaging heat waves during their reproductive phases.

- **Membrane Thermal Stability:** Breeds are selected for cellular membranes that do not break down under high heat.
- **Heat-Tolerant Wheat & Cereals:** Varieties like *HD 3385* (wheat) and specialized maize hybrids have been engineered with "terminal heat tolerance," meaning the plants maintain successful flowering, pollination and grain-filling even when temperatures climb well above seasonal averages.

To scale these scientific interventions across India's diverse agro-ecological zones, agricultural scientists rely on a specialized toolkit of molecular biology and high-throughput engineering. By transitioning from traditional selective breeding to Genomics-Assisted Breeding (GAB) and advanced CRISPR-Cas9 gene editing, India's national laboratories can alter crop architectures with extreme speed and precision.

The Modern Genetic & Molecular Toolkit helps to develop El Niño-resilient crops which require moving beyond visual selection to engineering survival at the DNA level.

- **Marker-Assisted Selection (MAS) & QTL Mapping:** Instead of waiting for a drought to happen in a field trial, scientists map Quantitative Trait Loci (QTLs) - specific regions of DNA linked to stress survival. By using molecular markers, breeders can verify if a seed possesses drought or heat-resistant genes in a lab within hours. This has enabled the rapid transfer of the famous "*QTL-hotspot*" into popular chickpea and pulse varieties, dramatically altering root depths to extract subsoil moisture.

- **Targeted CRISPR-Cas9 Gene Editing:** Rather than inserting foreign DNA, scientists use CRISPR to tweak a plant's native genome. By modifying the *ERAI* or *DST* genes in crops like rice and maize, researchers can optimize stomatal density. This allows the plant to close its pores faster during mid-season dry spells brought on by El Niño, reducing transpiration water loss while maintaining photosynthesis.
- **Functional Transcriptomics:** Researchers analyze RNA expression profiles to pinpoint exactly which genes light up when a plant experiences sudden thermal stress. This data helps isolate heat-shock proteins (HSPs) that protect cellular membranes from breaking down during intense summer heat waves.

Crop-Specific Interventions and Strategic Shifts

The mitigation framework relies heavily on tailoring specific varieties to replace vulnerable, water-guzzling crops during severe El Niño forecasts:

Crop Segment	The Vulnerability	Crop Improvement Solution / Cultivar Shift
Rice	High water requirement; prone to failure during delayed monsoons.	Introduction of aerobic rice and direct-seeded varieties that require less standing water. Agricultural advisories also recommend shifting from long-duration paddy to pulses or oilseeds during severe water scarcity.
Millets	Coarse cereals possess innate hardiness but require breeding for high yield.	Promotion of elite hybrids of Pearl Millet (Bajra) and Sorghum (Jowar). These C4 plants feature naturally high water-use efficiency and deep root systems, making them ideal replacements for water-stressed maize or paddy.
Pulses & Chickpeas	Susceptible to terminal heat and flower drop.	Deployment of biofortified, drought-hardy pulses that thrive on residual soil moisture, reducing water dependency.

Beyond the Seed: The Agronomic Eco-System

A climate-resilient seed cannot succeed in a vacuum. Crop improvement strategies are paired directly with modern agronomic practices to maximize their genetic potential:

1. **Conservation Agriculture:** Practices like Zero-Tillage leave previous crop residues on the field. This creates a protective mulch layer that lowers soil temperatures and retains precious moisture during El Niño heat waves.
2. **Micro-Irrigation:** Pairing drought-tolerant varieties with drip and sprinkler irrigation ensures that minimal water reserves are applied directly to the plant roots, maximizing water productivity.
3. **Microbial Interventions:** Scientists are using custom-developed microbial consortia applied to seed coatings. These beneficial bacteria and fungi colonize plant roots, helping them tolerate high soil salinity and drought stress while optimizing nutrient uptake.

Conclusion: The Path Forward

The escalating threats of climate change have turned El Niño from an occasional anomaly into a recurring obstacle for Indian agriculture. Through systematic breeding programs, genomic selection, and institutional initiatives like NICRA, India has steadily decoupled baseline food security from the absolute vagaries of the monsoon. However, ensuring long-term resilience requires continuing to accelerate the adoption of these new varieties. Expanding seed multiplication chains, enhancing crop insurance access, and standardizing district-level contingency plans will be crucial to safeguarding rural livelihoods and ensuring that the Indian platter remains secure, no matter how warm the Pacific grows.