AGRI MAGAZINE
(International E-Magazine for Agricultural Articles)
Volume: 03, Issue: 10 (October, 2026)
Available online at http://www.agrimagazine.in
©Agri Magazine, ISSN: 3048-8656


Healthy Soils, Lower Emissions: The Role of Sustainable Agriculture

*Mayank Kumar[1], Kapil Kumar[2] and Dr. Anil Kumar Singh[1]
[1]Department of Soil Science & Agricultural Chemistry, Chandra Shekhar Azad University of Agriculture & Technology, Kanpur (U.P.), India
[2]Department of Agronomy, Bundelkhand University, Jhansi, India
*Corresponding Author's email: mr.mayankmaudaha@gmail.com

Soil is one of the most valuable natural resources supporting agricultural production, environmental stability and human survival. Healthy soils provide essential nutrients to plants, regulate water movement, support biodiversity and contribute to the global carbon cycle. However, intensive agricultural practices, excessive fertilizer application, improper irrigation and continuous soil disturbance have increased greenhouse gas emissions from agricultural soils. These emissions contribute to climate change and create challenges for sustainable food production. Agricultural soils are both a source and a sink of greenhouse gases. They release carbon dioxide (CO_2), nitrous oxide (N_2O) and, under certain conditions, methane (CH_4). Therefore, maintaining soil health and adopting sustainable agricultural practices are essential for reducing emissions while ensuring long-term agricultural productivity.

Agricultural Soils and Greenhouse Gas Emissions

Agricultural soils contribute to greenhouse gas emissions through several biological and management related processes. Carbon dioxide is released during the decomposition of organic matter and soil respiration. Continuous cultivation, excessive soil disturbance and the removal or burning of crop residues can accelerate soil organic carbon losses.



Nitrous oxide is particularly important because agricultural soils are a major source of this powerful greenhouse gas. It is primarily produced through microbial processes such as nitrification and denitrification. Excessive application of nitrogen fertilizers, poor fertilizer

timing, waterlogging and improper irrigation can increase nitrous oxide emissions. The application of nitrogen beyond crop requirements not only increases production costs but also contributes to environmental pollution. Methane emissions from agricultural soils are generally associated with oxygen-deficient conditions, particularly in flooded rice fields. Under these conditions, microorganisms decompose organic materials and produce methane. Thus, agricultural management practices influence the quantity and type of greenhouse gases released from soils.

Role of Sustainable Agriculture in Reducing Emissions

Sustainable agriculture offers practical approaches to improve soil health, reduce greenhouse gas emissions and maintain crop productivity. Its success depends on the efficient use of natural resources and the adoption of environmentally responsible farming practices.

1. Integrated Nutrient Management (INM): Integrated nutrient management involves the balanced use of inorganic fertilizers, organic manures and biofertilizers to meet crop nutrient requirements. The application of farmyard manure, vermicompost and suitable microbial inoculants improves soil organic matter, nutrient availability and microbial activity. Proper nutrient management also reduces unnecessary nitrogen application and minimizes the risk of nitrous oxide emissions. Fertilizers should be applied according to soil test results, crop requirements and appropriate timing. Practices such as split nitrogen application and the use of suitable fertilizer placement methods can improve nutrient-use efficiency and reduce nutrient losses.


2. Conservation Agriculture and Minimum Tillage: Conservation agriculture includes minimum soil disturbance, permanent soil cover and diversified cropping systems. Reduced tillage helps protect soil structure, decrease erosion and improve the retention of soil organic carbon in many farming systems. Crop residues left on the soil surface provide protection against erosion, conserve moisture and support soil organisms. However, residue management should be adapted to local conditions because excessive incorporation of fresh organic materials into wet soils may increase greenhouse gas emissions.

3. Efficient Irrigation and Water Management: Improper irrigation can create conditions that favour greenhouse gas emissions, particularly in rice cultivation. Efficient irrigation methods, proper drainage and improved water scheduling help maintain favourable soil conditions and reduce unnecessary water use. Alternate wetting and drying in suitable rice-growing systems can reduce methane emissions compared with continuous flooding. However, its effectiveness depends on soil characteristics, water availability and local climatic conditions. Excessive drying should be avoided because it may affect crop growth and can sometimes increase nitrous oxide emissions.

4. Crop Rotation, Cover Crops and Organic Matter Management: Crop rotation and cover cropping improve soil fertility, increase biological diversity and protect soil from erosion. Leguminous crops can contribute biological nitrogen fixation, reducing the need for excessive nitrogen fertilizer application. The addition of organic materials, including crop residues and compost, can improve soil organic carbon and support beneficial microorganisms. Nevertheless, organic matter management should be carefully planned because decomposition may release carbon dioxide, methane or nitrous oxide depending on soil moisture, temperature and management practices.

5. Agroforestry and Carbon Sequestration: Agroforestry integrates trees with agricultural crops or livestock systems. Trees absorb atmospheric carbon dioxide through photosynthesis and store carbon in their biomass and, in many cases, in the soil. Their roots also improve soil structure, reduce erosion and contribute organic matter. Agroforestry can provide additional benefits such as shade, biodiversity conservation, improved microclimate and diversified farm income. However, suitable tree species and planting arrangements are essential to minimize competition with crops for water, nutrients and sunlight.

Challenges and Future Prospects



Although sustainable agriculture provides several opportunities for greenhouse gas mitigation, its implementation faces important challenges. Small and marginal farmers may lack access to improved technologies, quality organic inputs, irrigation facilities and technical knowledge. The benefits of soil carbon sequestration also depend on climate, soil type, management history and the duration of agricultural practices. Furthermore, reducing emissions should not compromise crop productivity or farmers' livelihoods. Sustainable soil management requires a balanced approach that considers greenhouse gas emissions, soil fertility, water conservation, economic feasibility and long-term agricultural resilience. In India, integrated nutrient management, conservation agriculture, crop diversification, residue management and improved irrigation practices can play an important role in promoting climate-smart agriculture. Research, farmer training, soil testing facilities and appropriate government support are necessary to encourage their adoption.

Conclusion

Healthy soils are fundamental to sustainable agriculture and climate change mitigation. Unsustainable agricultural practices can increase greenhouse gas emissions, accelerate soil degradation and reduce the long-term productive capacity of agricultural land. In contrast, integrated nutrient management, conservation agriculture, efficient irrigation, crop rotation, organic matter management and agroforestry can improve soil health while reducing emission risks.