



Nutritional Security through Oyster Mushroom Production: A Sustainable Approach for Rural Livelihood Community Development

*Gaurishankar Varma¹, Dr. Kishan Kumar Sharma², Dr. Subuhi Nishad³,
Dr. Medha Saha⁴ and Sunil Kumar Gupta⁵

¹B.Sc. (Hons.) Horticulture (4th Year), Pt. K.L.S. College of Horticulture and Research Station, Rajnandgaon, Chhattisgarh, India

²Assistant Professor, Department of Plant Pathology, NSS Programme Officer, Pt. K.L.S. CHRS, Rajnandgaon, Chhattisgarh, India

³NSS Coordinator, Indira Gandhi Krishi Vishwavidyalaya (IGKV), Raipur, Chhattisgarh, India

⁴Assistant Professor, Department of Floriculture and Landscape Aarchitecture, NSS Programme Officer, Pt. K.L.S. CHRS, Rajnandgaon, Chhattisgarh, India

⁵Ph.D. Scholar, Department of Post Harvest Management, Pt. K.L.S. College of Horticulture and Research Station, Rajnandgaon, Chhattisgarh, India

*Corresponding Author's email: sv641409@gmail.com

Nutritional insecurity in rural communities is influenced not only by food availability but also by household purchasing power, dietary diversity and access to nutrient-dense foods. Oyster mushroom (*Pleurotus* spp.) production offers a practical opportunity to address these dimensions simultaneously because the crop can be cultivated in limited space, uses clean agricultural residues as substrate, has a relatively short production cycle and can generate food as well as supplementary income. This paper develops a community-oriented National Service Scheme (NSS) intervention framework for promoting oyster mushroom production as a tool for nutritional security, rural livelihood diversification and youth-led community development. The approach combines nutrition education, practical demonstrations, low-cost production units, women and youth participation, value addition, market linkage and recycling of spent mushroom substrate. Evidence from ICAR and FAO programmes indicates that oyster mushroom enterprises can be established with modest resource requirements and can convert crop residues into marketable food and income. The paper emphasizes that NSS volunteers can function as facilitators between technical institutions, rural households, self-help groups and local markets. Rather than presenting fabricated primary survey results, the study proposes measurable indicators and an implementation model that can be used for future field validation in adopted villages.

Keywords: Oyster mushroom, *Pleurotus*, nutritional security, NSS, rural livelihood, agricultural waste recycling, women empowerment, community development.

Introduction and Background

Context and problem statement: Nutritional security requires regular access to sufficient, safe and nutritious food that supports healthy living. Rural households may experience seasonal income fluctuations, limited dietary diversity and underutilization of locally available agricultural biomass. Conventional crop production alone may not provide a continuous source of nutrient-rich foods or supplementary income, particularly for land-poor households. Oyster mushrooms provide an alternative food and livelihood component because *Pleurotus* species can be cultivated on a range of lignocellulosic agricultural residues and can be

produced in relatively small spaces. Reviews of *Pleurotus* spp. describe them as sources of protein, dietary fibre, vitamins, minerals and bioactive compounds, while also highlighting their ability to utilize agro-residues as substrates.

Nutritional significance of oyster mushroom: *Pleurotus* mushrooms are valued for their protein, dietary fibre, mineral and vitamin content. Their nutritional composition varies with species, substrate, cultivation conditions and analytical method; therefore, fixed nutrient values should not be generalized to every production batch. Published literature identifies *Pleurotus ostreatus* as a nutrient-dense food with low lipid content and useful amounts of protein and fibre. This makes oyster mushroom particularly relevant to household nutrition programmes that seek to increase dietary diversity rather than replace staple cereals and pulses.

Livelihood and environmental significance: Mushroom cultivation can create a circular rural enterprise by transforming paddy straw and other suitable crop residues into food, followed by the use of spent substrate as compost or soil amendment after appropriate processing. FAO has highlighted mushroom cultivation as an activity that can contribute to food and income security and can be undertaken with limited land. Recent ICAR field experiences also demonstrate the potential of oyster mushroom enterprises for additional income, women's participation, rural entrepreneurship and crop-residue utilization.

Role of NSS in community development: The National Service Scheme is a Central Sector Scheme of the Ministry of Youth Affairs and Sports that provides student youth with opportunities for community service. NSS can contribute to mushroom-based community development by connecting students with rural households, self-help groups, schools, Krishi Vigyan Kendras and other technical institutions. The NSS approach is especially suitable for awareness creation, practical demonstrations, household surveys, nutrition education, documentation and follow-up mentoring.

Objectives of the study

- To develop a practical NSS-led framework for promoting oyster mushroom production for household nutritional security.
- To assess the potential of oyster mushroom cultivation for supplementary rural livelihood generation and agricultural-residue recycling.
- To identify suitable roles for NSS volunteers in training, awareness, demonstration, women and youth mobilization, and market linkage.
- To propose measurable indicators for evaluating nutritional, economic, social and environmental outcomes of future field interventions.

Table 1: Nutritional and livelihood relevance of oyster mushroom

Dimension	Potential contribution	Community relevance
Protein and amino acids	Provides useful dietary protein; composition varies with species and substrate.	Supports dietary diversification, particularly when combined with cereals, pulses and vegetables.
Dietary fibre	<i>Pleurotus</i> contains appreciable dietary fibre and β -glucans.	Adds fibre-rich food to household diets.
Vitamins and minerals	Contains B-group vitamins and minerals such as potassium, phosphorus and iron; values vary by production conditions.	Can complement locally available staple foods.
Low-space production	Can be produced in rooms or low-cost sheds rather than requiring large cultivated fields.	Suitable for land-poor households, women and youth.
Agricultural-residue utilization	Paddy straw and other suitable lignocellulosic residues can serve as substrates.	Converts underused biomass into food and income.
Value addition	Fresh mushroom can be dried or processed into products such as powder, subject to food-safety practices.	Reduces perishability and creates additional market options.

Study Area, Research Methodology and Intervention Strategy

Study setting and scope: The proposed intervention is designed for rural communities in and around Rajnandgaon district, Chhattisgarh, where rice-based farming and agricultural-residue availability create a logical context for oyster mushroom demonstrations. The framework can be implemented through adopted villages of an NSS unit in collaboration with horticulture departments, Krishi Vigyan Kendras, farmer groups, self-help groups and local institutions.

Research design: The present paper follows a secondary-evidence and community-intervention design. Published reviews and institutional reports were used to establish the nutritional, livelihood and cultivation rationale, while an NSS field protocol was developed for future primary validation. The framework intentionally does not report invented household survey percentages or fabricated production results. Future implementation should collect baseline and end-line observations from participating households and compare adoption, production, consumption, income and waste-recycling indicators.

Sampling and baseline assessment: For field implementation, a practical sample may be selected from households, women's self-help groups, rural youth and interested small/marginal farmers. Baseline tools should record household size, landholding, food-frequency patterns, mushroom consumption, availability of crop residues, previous technical training, willingness to invest, access to markets and perceived constraints. The same indicators should be repeated after intervention to assess change.

Technical intervention sequence: NSS volunteers should work under technical supervision rather than independently providing specialist mushroom advice. The production sequence should cover selection and preparation of clean substrate, pasteurization or other locally recommended treatment, spawning, bag filling, incubation, humidity and hygiene management, fruiting, harvesting, grading, packaging, consumption and marketing. Local KVK or mushroom specialists should validate the protocol for the season and cultivar before demonstrations are conducted.

Table 2: Proposed NSS oyster mushroom production and extension cycle

Stage	Key activity	NSS volunteer role	Expected output
1. Baseline	Household and resource assessment	Survey, mapping, participant identification	Village-level baseline database
2. Awareness	Nutrition and livelihood sessions	Rallies, posters, school activities, household visits	Improved awareness and participation
3. Demonstration	Low-cost oyster mushroom unit	Mobilization, documentation and attendance support	Functional demonstration unit
4. Hands-on training	Substrate, spawning, crop management and hygiene	Facilitate training logistics and follow-up	Trained households/youth/SHGs
5. Production	Batch-wise cultivation and harvesting	Record keeping, peer support and troubleshooting referral	Fresh mushroom production
6. Consumption	Nutrition demonstrations and recipes	Cooking demonstrations and nutrition messaging	Increased household use and dietary diversity
7. Marketing	Local sales, packaging and value addition	Market mapping and linkage support	Additional household revenue
8. Recycling	Management of spent substrate	Awareness and composting coordination	Organic resource recovery

Results and Discussion

Evidence on Nutritional Security

Available scientific literature supports the nutritional relevance of *Pleurotus* mushrooms, but nutrient concentrations vary across studies because of differences in species, substrate, cultivation environment and analytical procedures. Reviews report meaningful amounts of protein and dietary fibre together with minerals and B-group vitamins. Consequently, the strongest community-development argument is not that mushrooms alone solve malnutrition, but that regular mushroom consumption can broaden dietary diversity when integrated with pulses, cereals, vegetables, fruits and other locally available foods. For NSS programming, nutritional outcomes should therefore be measured through indicators such as frequency of mushroom consumption, number of households incorporating mushroom into meals, knowledge of mushroom nutrition, dietary-diversity scores where appropriate, and the number of nutrition demonstrations conducted. Any clinical or anthropometric claim would require a properly designed health study and should not be inferred from a livelihood intervention alone.

Livelihood Diversification and Rural Entrepreneurship

Oyster mushroom cultivation is relevant to livelihood diversification because production can be undertaken in limited space and can use agricultural residues that otherwise have low economic value. ICAR field experiences have documented additional income from oyster mushroom production, including examples involving women, small farmers and rural youth. Such evidence indicates that training, quality spawn, technical handholding and market access are important determinants of enterprise success. The economic outcome for any particular village will depend on spawn price, substrate availability, labour, yield, season, contamination losses, local selling price and post-harvest management. A community enterprise model can begin with household production and gradually move toward cluster-based production. SHGs may coordinate spawn procurement, packaging, collective marketing and value addition, while NSS volunteers can assist with records, awareness and institutional linkage. This structure can reduce duplication and encourage peer learning, but technical decisions should remain with trained growers and competent agricultural specialists.

Table 3: Indicators for evaluating NSS-led mushroom intervention

Outcome domain	Suggested indicators	Measurement approach
Nutrition	Households consuming mushroom; frequency of consumption; nutrition knowledge	Baseline and end-line household schedule
Production	Bags prepared; contamination rate; harvest quantity; production cycles	Batch records maintained by growers
Income	Gross sales; input cost; net return; market channels	Simple enterprise ledger
Participation	Women, youth, SHGs and NSS volunteers involved	Attendance and activity registers
Waste recycling	Quantity/type of agricultural residue utilized; spent substrate reused	Input-output records
Capacity building	Number trained; practical competencies demonstrated	Pre/post quiz and practical checklist
Sustainability	Continuation of production after NSS support ends	Follow-up visit at 3, 6 and 12 months

Environmental and Circular-Economy Benefits

Pleurotus species are decomposer fungi capable of growing on lignocellulosic materials. The use of suitable crop residues as substrate provides a pathway for resource recycling and can reduce the amount of biomass that is otherwise discarded or burned. After mushroom production, spent substrate can be directed toward composting or other locally validated uses. Such recycling should follow safe handling practices and should not be promoted as a blanket

recommendation for animal feeding or soil application without appropriate technical guidance.

The environmental value of the enterprise is therefore best understood as a circular sequence: crop residue → mushroom substrate → edible food and income → spent substrate → compost or other appropriate reuse. NSS volunteers can help communities understand this cycle through demonstration units and school-based environmental education.

Women and Youth Participation

The household-based nature of mushroom production can create entry points for women and rural youth, particularly where access to land is limited. ICAR experiences describe women and youth participation in training, production and enterprise development. NSS units can strengthen this opportunity by organizing women's SHGs and youth groups, scheduling practical sessions at convenient times, and encouraging peer-to-peer demonstrations. The emphasis should be on skills and enterprise ownership rather than treating beneficiaries only as recipients of inputs. Youth involvement also provides an educational bridge between scientific institutions and villages. NSS volunteers can document production costs, prepare simple digital records, develop local awareness materials and connect growers with extension agencies. This makes the activity both a livelihood intervention and a practical learning exercise in entrepreneurship, nutrition and sustainable agriculture.

Field Challenges Encountered / Anticipated

- Spawn quality and contamination: Poor-quality spawn, inadequate sanitation and improper moisture management can cause crop failure.
- Temperature and humidity management: Oyster mushroom performance is strongly influenced by environmental conditions; seasonal recommendations should be adapted to the cultivar and local climate.
- Short shelf life: Fresh mushrooms are perishable, creating a need for rapid local marketing, cooling or safe value addition.
- Market uncertainty: Small growers may face fluctuating local prices and weak bargaining power when selling individually.
- Technical skill gaps: Successful production requires hands-on training rather than only classroom awareness.
- Record-keeping limitations: Without production and sales records, growers cannot reliably estimate profitability.
- Input and infrastructure access: Reliable spawn, suitable substrate, clean water, basic shelving and hygienic growing space are prerequisites for consistent production.

Strategic Recommendations and Policy Action Plan

1. Institutional convergence: Establish formal working arrangements among NSS units, KVKs, horticulture/agriculture departments, SHGs and Gram Panchayats for training, spawn access, technical advice and follow-up.
2. Demonstration-first approach: Begin with one or more supervised model units before distributing production inputs widely. Demonstrations should cover the complete cycle from substrate preparation to marketing.
3. Nutrition integration: Link mushroom cultivation with household nutrition education, recipe demonstrations and school awareness activities so that production is not focused solely on commercial sales.
4. Women and youth enterprise clusters: Encourage SHGs and youth groups to coordinate production schedules, input purchase, packaging and local market development.
5. Enterprise accounting: Introduce a simple record sheet for substrate, spawn, labour, electricity/water, packaging, harvest, sales and losses. This will make profitability claims transparent and locally relevant.
6. Value addition and food safety: Promote drying, powder or other products only after appropriate technical training, hygienic processing and compliant packaging practices.

7. Follow-up after NSS camps: Conduct structured follow-up at 3, 6 and 12 months to identify surviving enterprises, production constraints, consumption changes and market outcomes.

8. Evidence-based scaling: Use baseline and end-line data to determine whether the intervention should be expanded. Nutritional or health claims should be supported by suitable dietary or clinical research rather than assumed from production data.

Conclusion

Oyster mushroom production presents a practical pathway for linking nutritional security, rural livelihood diversification, women and youth participation, and agricultural-residue recycling. The technology is particularly relevant to households that have limited land but access to agricultural residues, basic growing space and local markets. Evidence from FAO and ICAR demonstrates that mushroom cultivation can support food and income security when combined with training, technical support and market access. NSS can add substantial community-development value by mobilizing volunteers, conducting baseline assessments, organizing awareness and practical demonstrations, connecting rural households with technical institutions, and maintaining follow-up records. The proposed framework deliberately separates documented evidence from future field measurement: village-level production, nutrition and income outcomes should be established through primary data collected during implementation. With technical supervision, participatory planning and continuous evaluation, oyster mushroom production can become a scalable NSS activity supporting sustainable rural livelihoods and community development.

References

1. Food and Agriculture Organization (FAO). 2009. Make Money by Growing Mushrooms. FAO Diversification Booklet 7. Rome: Food and Agriculture Organization of the United Nations.
2. National Service Scheme (NSS). National Service Scheme, Ministry of Youth Affairs & Sports, Government of India. Official programme information and NSS Manual resources.
3. ICAR. 2026. From Jhum to Mushroom: How Oyster Mushroom Farming is Transforming Livelihoods in Longleng. Indian Council of Agricultural Research, Government of India.
4. ICAR. Mushroom Cultivation – A Way towards Self-Reliance. ICAR–Research Complex for Eastern Region, Farming System Research Centre for Hill and Plateau Region, Ranchi.
5. ICAR-CIWA. Mushroom Production. ICAR–Central Institute for Women in Agriculture, Bhubaneswar, Odisha.
6. Costa, J. A. V., et al. 2021. Cultivation and Nutritional Value of Prominent *Pleurotus* spp.: An Overview. *International Journal of Molecular Sciences*, 22.
7. Carrasco-González, J. A., Serna-Saldivar, S. O. and Gutiérrez-Urbe, J. A. 2017. Nutritional composition and nutraceutical properties of the *Pleurotus* fruiting bodies: Potential use as food ingredient. *Journal of Food Composition and Analysis*, 58, 69–81.
8. 2026. Functional properties, health benefits, and biotechnological applications of the oyster mushroom (*Pleurotus ostreatus*): A comprehensive review. *Journal of Agriculture and Food Research*, 29, 103103.