

Molecular Diagnostics in Veterinary Medicine: Transforming Disease Detection

*G. Daniel Risheen

Ph.D. (Veterinary Medicine), Nagpur Veterinary College, Nagpur, India

*Corresponding Author's email: danielrisheen@gmail.com

For most of the last century, finding the cause of an infection meant growing the germ in a dish, or looking at it under a microscope, and waiting days for an answer. Today, veterinarians can detect the genetic fingerprint of a virus, bacterium or parasite directly from a drop of blood or a swab. Molecular diagnostics, from polymerase chain reaction (PCR) to next-generation sequencing (NGS), are now a cornerstone of rapid diagnosis in veterinary science [1]. They help vets treat the right disease sooner and use fewer unnecessary drugs.

How PCR Works

PCR can be thought of as a molecular photocopier. A sample is taken, the genetic material, DNA or RNA, is extracted, and a short piece unique to the target germ is copied millions of times until it can be detected. If that unique piece is present, the test is positive. Real-time PCR is still used frequently in everyday veterinary practice because the technology is widely available and the test is relatively inexpensive [2].




Figure 1. Basic steps of a PCR test

From PCR to Whole Genomes

Sequencing goes a step further by reading the order of the genetic letters themselves. First-generation methods developed in the 1970s were followed by NGS platforms that generate enormous amounts of data in a single run [3]. In companion animals, NGS is being used to understand parasite transmission, infectious disease dynamics, metabolic and autoimmune disorders, cancer and inherited conditions [2]. It allows scientists to identify unknown pathogens, track outbreaks and study the microbial communities in the gut, skin and airways [2, 3]. The World Organisation for Animal Health has long recognised its value for complex diagnosis and monitoring of infectious disease [4].




Figure 2. Milestones in molecular diagnostics (approximate dates)

Which Test When?

Table 1. Comparison of common diagnostic approaches

Method	Strength	Limitation	Typical use
Culture	Shows living bacteria and allows antibiotic sensitivity testing.	Slow. Some germs will not grow.	Urinary, wound and ear infections
PCR	Fast and very sensitive for specific known germs.	Detects only what it is designed to find. A positive may not mean active disease.	Viral diseases, tick-borne and respiratory panels
Sequencing (NGS)	Reads the whole genetic code. Can find unknown or resistant germs.	Costly and needs specialist analysis.	Outbreaks, difficult cases, research

No single test is best. Often the strongest approach combines methods: PCR for speed, culture to test drug sensitivity, and sequencing for puzzling or recurring cases. Results must always be read alongside the clinical picture, because a positive PCR does not always mean the germ is causing the illness.

What Are Vets Testing For?

In dogs and cats, molecular tests are commonly used to confirm infections that are hard to see or culture. Examples include canine parvovirus and distemper, tick-borne parasites such as *Babesia* and *Ehrlichia*, feline leukaemia virus and feline immunodeficiency virus, and respiratory or gut panels that check for several germs at once. Because many of these tests target the germ's genetic material directly, they can give an answer even when only tiny amounts are present or the animal has already started treatment.

Table 2. Common samples and targets

Sample	Example targets	Why molecular testing helps
Blood	Tick-borne parasites, feline viruses	Detects organisms hard to see on a smear.
Swab (nose, throat, eye)	Respiratory viruses and bacteria	Tests several causes in one go.
Faeces	Parvovirus, gut parasites, microbiome	Fast confirmation in sick young animals.
Tissue or fluid	Cancer markers, unusual infections	Guides precise diagnosis in difficult cases.

Benefits for Animals and People

Faster and more precise diagnosis helps veterinarians treat the right disease early, avoid unnecessary antibiotics and isolate infectious animals sooner. Many animal diseases are zoonotic, so rapid detection at the animal–human interface also protects public health [1]. Sequencing can additionally reveal resistance genes, supporting the global fight against antimicrobial resistance, and can guide breeding programmes and screening for inherited disease in dogs and cats [2].

Questions Owners Ask

- **Is a molecular test always better?** Not always. It is faster for many diseases, but the right test depends on the question being asked.
- **Will it cost more?** Sometimes, but targeted testing can save money by avoiding trial-and-error treatment.
- **Can it find every disease?** No. Tests look for specific targets unless sequencing is used.
- **What about genetic tests for breed disease?** They can identify carriers of inherited conditions and help responsible breeding.

Key Takeaway

Molecular tools do not replace the clinician. They give the veterinarian sharper eyes, so that the right treatment can begin sooner.

References

1. Advances in molecular diagnostics in veterinary sciences. *Animals* (MDPI), special issue overview. mdpi.com/journal/animals.
2. Application of next-generation sequencing (NGS) techniques for selected companion animals. 2024. PubMed Central, PMC11171117.
3. Next-generation sequencing in veterinary medicine: how can the massive amount of information arising from high-throughput technologies improve diagnosis, control, and management of infectious diseases? PubMed Central, PMC7123048.
4. Granberg F, Bálint Á, Belák S. Novel technologies applied to the nucleotide sequencing and comparative sequence analysis of the genomes of infectious agents in veterinary medicine. *Revue Scientifique et Technique* (OIE). 2016;35(1):25–42.
5. Ijaz M, Ali MM. Next-generation sequencing in veterinary medicine: technologies to improve diagnosis, control, and management of livestock diseases. In: *Recent Trends in Livestock Innovative Technologies*. Bentham Science; 2023:170–187.