AGRI MAGAZINE
(International E-Magazine for Agricultural Articles)
Volume: 03, Issue: 11 (November, 2026)
Available online at http://www.agrimagazine.in
©Agri Magazine, ISSN: 3048-8656

Beyond the Red Soils: A Blueprint for Expanding Millet Cultivation Across All Agro-Climatic Zones of West Bengal

*Ajija Parvin, Nazma Sultana and Sukanya Giri
Division of Agronomy, School of Agriculture and Rural Development, Ramakrishna Mission Vivekananda Educational & Research Institute, Narendrapur Campus, Kolkata, West Bengal-700103, India
*Corresponding Author's email: parvinajija3@gmail.com

While the 2023 International Year of Millets propelled "nutri-cereals" into the global spotlight, their cultivation in West Bengal remains largely confined to the red and lateritic soils of Purulia, Bankura, and Birbhum. To achieve comprehensive agricultural resilience and nutritional security, we must urgently scale up millet production across all agro-climatic zones of the state. This blueprint outlines an action-oriented strategy to mainstream finger, pearl, foxtail, and barnyard millets beyond their traditional boundaries. Millets offer an unparalleled advantage for climate-vulnerable landscapes due to their high water-use efficiency, drought tolerance, and minimal input requirements. By adopting climate-smart agronomy such as conservation tillage, optimized moisture management, and balanced fertilization, farmers statewide can stabilize yields despite erratic weather patterns. Beyond climate adaptability, these crops deliver extraordinary nutraceutical benefits. Packed with essential amino acids, iron, and zinc, specific varieties like foxtail millet also exhibit significant α-amylase inhibitory and anticancer properties, opening doors to high-value functional food markets. However, achieving a statewide millet revolution requires decisive action to dismantle existing barriers. We must aggressively strengthen quality seed distribution, build robust market linkages, and establish decentralized processing infrastructure. By transforming millets from localized survival crops into a statewide agricultural priority, West Bengal can empower rural livelihoods, diversify cropping systems, and secure a climate-proof, nutrient-dense food supply for the future.

Keywords: Nutri-cereals, Climate-smart agronomy, Agro-climatic expansion, Functional foods, Nutritional security

Introduction

For generations, millets were relegated to the margins of Indian agriculture. Historically cultivated by tribal and marginal farming communities on rainfed, low-fertility lands, these hardy crops were long overshadowed by the Green Revolution's focus on rice and wheat. Today, however, that narrative has drastically shifted. Recognizing their exceptional micronutrient density and climate resilience, major millets (like sorghum and pearl millet) and minor millets (such as finger, foxtail, and barnyard millet) are now celebrated globally as "nutri-cereals." Spearheaded by India's "Shree Anna" initiative and the UN's 2023 International Year of Millets, these ancient grains are stepping out of the shadows and into the agricultural spotlight. In West Bengal, the agricultural landscape remains heavily dominated by water-intensive staples like rice, jute, and potato, predominantly concentrated in the fertile New Alluvial tracts of Nadia, Murshidabad, and Hooghly. However, nearly a third of the state's geographical area is agro-ecologically vulnerable. The degraded Old Alluvial tracts of Malda and the Dinajpurs, the salinity-affected coastal fringes of the Sundarbans, and the undulating red lateritic belt of the western districts present severe

limitations for conventional farming. It is here that the true potential of millets lies. Reviving and expanding millet cultivation across these diverse, stress-prone zones offers a scientifically sound, economically pragmatic pathway to restore degraded soils, diversify cropping systems, and secure the nutritional future of the state's most vulnerable farming communities.

Millets as an Emerging Choice for West Bengal

According to state agricultural profiles, West Bengal's soils are highly variable often acidic, saline, or sodic, with generally low fertility. Yet, the state maintains a staggering cropping intensity of 176%, driven almost entirely by aggressive, groundwater-depleting, rice-based farming systems. This intensive model is increasingly unsustainable, particularly in the face of erratic monsoons and rapidly depleting water tables. In the western lateritic belt (Bankura, Purulia, and Birbhum), the soils are light, porous, and struggle to hold moisture. Despite receiving substantial annual rainfall, the precipitation is erratic, leaving vast tracts of upland drought-prone and effectively rain-fed. These are precisely the harsh conditions where millets naturally out-compete paddy or wheat. Engineered by nature for survival, millets boast deep root systems, rapid growth cycles, and minimal water requirements. Furthermore, introducing millets to marginal, barren uplands provides a massive ecological co-benefit: their aggressive root systems help break up compacted soils, halt topsoil erosion, and organically rebuild fertility over time. But the future of millets in Bengal is not just about the red soils it is about strategic expansion. As pilot programs demonstrate, millets are highly adaptable and are beginning to take root across previously unexplored agro-climatic zones.

Table 1: Expanding the Footprint: Agro-Ecological Suitability for Millets in West Bengal

District / Zone	Agro-Ecological Reality	Millet Suitability & Potential
Purulia	Dry, undulating uplands with lateritic, low-fertility, drought-prone soils and very low water-holding capacity.	High: Finger millet (ragi), sorghum, and small millets naturally thrive here.
Bankura	Rain-fed, acidic soils with erratic annual rainfall (750-1150 mm); characterized by large tracts of barren fallow uplands.	High: Finger millet is established; pearl and foxtail millets are showing excellent trial results.
Birbhum	Classic red laterite tract; home to historical agricultural research (Shekampur station) for dryland farming.	High: Finger millet (ragi) serves as a robust, drought-proof crop alternative.
Paschim Medinipur / Jhargram	The lateritic Rarh plateau fringe; features tribal-dominated uplands with moisture-stress similar to the Purulia-Bankura belt.	High: Ideal for mainstreaming finger and other small millets to boost local tribal incomes.
North & South 24 Parganas (Coastal Zone)	Deltaic tracts facing rising soil salinity, waterlogging, and freshwater scarcity during winter months.	Emerging: Pilot propagation by NGOs and farmer groups is proving millets can adapt to saline-stressed coastal fringes.

Beyond Calories: The Nutritional Superiority of Millets

For decades, India's food security policies focused heavily on caloric output, leading to the dominance of polished rice and refined wheat. However, this shift came at a steep nutritional cost. Millets, by stark contrast, are functional "superfoods." When comparing macronutrients and micronutrients, the supremacy of millets is undeniable. Finger millet (ragi), for instance, boasts a protein content of around 9.2%. More impressively, it is one of the richest plant-based sources of calcium on the planet, offering roughly 300–350 mg per 100 g, nearly ten times the amount found in wheat. Pearl millet (bajra) stands out as a leading plant-based

source of iron (up to 17.7 mg/100 g), crucial for combating widespread anemia. Crucially, millets digest slowly. Their high dietary fiber content results in a significantly lower glycemic index (GI) compared to polished white rice. In a country battling an epidemic of type-2 diabetes and metabolic disorders, substituting refined cereals with millets is not just a dietary choice it is a critical public health intervention.

Table 2: Nutrient Profiling in Millets vs. Conventional Cereals (per 100 g)

Cereal Type	Protein (%)	Fat (%)	Minerals (%)	Carbohydrates (%)	Dietary Fibre (%)
Rice	7	2.0 - 2.5	0.5	76	2.8
Wheat	10.0 - 12.0	1.4	1.4	65.0 - 70.0	11.2
Sorghum (Jowar)	11	1.7	1.3	68	10.2
Pearl Millet (Bajra)	11	5.4	1.3	62	11.2
Finger Millet (Ragi)	9.2	1.9	2	67	11.2
Foxtail Millet	12	4.3	2.6	60	11
Little Millet	10	3.8	1.3	65.5	7.7
Proso Millet	11.5	3.5	2.7	64.6	9.6
Barnyard Millet	6	2.2	1.3	65.5	12

(Source: Adapted from Frontiers in Nutrition (2024), ICAR-IIMR Nutritional & Health Benefits of Millets, Rao et al., 2018; Bagdi et al., 2011)

The Current Footprint: Where Do Bengal's Millets Grow?

Currently, the cultivation of millets in West Bengal is geographically polarized. It thrives in the high-altitude, cooler northern hills (Darjeeling and Kalimpong) and the hot, dry, red lateritic belts of the west and southwest (Purulia, Bankura). In these regions, millets serve as a rainfed, climate-resilient alternative to water-thirsty crops, safeguarding livelihoods where irrigation is virtually nonexistent.

Table 3: District-wise Millet Cultivation Snapshot in West Bengal *(A = Area in Hectares; P = Productivity in Kg/ha; Y = Yield in Tonnes)*

District	Sorghum (Jowar)	Pearl Millet (Bajra)	Finger Millet (Ragi)	Little Millet
Darjeeling	-	-	A: 3570, P: 1000, Y: 3570	-
Kalimpong	-	-	A: 2380, P: 1200, Y: 2856	A: 725, P: 1555, Y: 1127
Jalpaiguri	-	-	A: 25, P: 805, Y: 20	-
Coochbehar	-	-	-	A: 98, P: 1180, Y: 116
Murshidabad	A: 125, P: 550, Y: 69	-	-	-
Bankura	-	-	-	A: 57, P: 550, Y: 31
Purulia	A: 61, P: 510, Y: 31	A: 70, P: 425, Y: 30	A: 54, P: 425, Y: 23	A: 606, P: 388, Y: 235

(Source: "Millet Chaser Chaikathi" by Dr. Hirak Banerjee. Note: Seasons vary primarily between Bhadui/Kharif and Rabi).

The Science of Survival: Why Millets Thrive Where Others Fail

The concentration of millets in districts like Purulia, Bankura, and the northern hills is not an agricultural accident; it is a calculated response to harsh environmental realities. The cultivation in these zones is driven by a unique interplay of climatic, edaphic (soil-related), and socio-economic factors:

- **Climate-Defiant Genetics:** Millets are biological survivors. They thrive in warm temperatures (25–32°C) and require only a fraction of the water needed by rice often maturing perfectly on just 400–700 mm of annual rainfall. In the semi-arid and dry sub-humid zones of western Bengal, where monsoon distribution is notoriously erratic and dry spells are frequent, millets guarantee a harvest when wheat or paddy would scorch.
- **Edaphic (Soil) Resilience:** The red and lateritic soils predominant in Purulia, Bankura, and Jhargram are naturally hostile to conventional farming. They are highly acidic (low pH), notoriously deficient in phosphorus, potassium, and organic carbon, and suffer from poor water retention. Yet, millets possess aggressive root systems that can extract nutrients and moisture from these sandy, low-fertility soils without the need for massive chemical amendments.
- **Water Economics and Crop Intensity:** In a state battling groundwater depletion, the low water requirement of millets is a massive economic advantage. In traditional "rice-fallow" systems where land lies barren after the monsoon fast-growing millets can be introduced to utilize residual soil moisture, pushing the cropping intensity from a stagnant 125% to highly productive levels.
- **Socio-Economic Empowerment:** For small, marginal, and tribal farming communities, the cost of agricultural inputs (synthetic fertilizers, pesticides, and pumped water) is often crippling. Millets are naturally pest-resistant and require minimal fertilizers, drastically lowering the cost of cultivation. Supported by NGOs and government missions, cultivating these nutrient-dense grains provides a dual shield: it secures economic independence and eradicates hidden hunger within vulnerable rural communities.

Major Challenges in Millet Expansion

Despite their immense potential, pushing millet cultivation beyond subsistence farming in West Bengal is currently constrained by structural, agronomic, and market barriers:

- **Environmental & Agronomic Hurdles:** While drought-tolerant, millets are still vulnerable to the erratic monsoons and prolonged dry spells increasingly hitting the western districts. Furthermore, continuous cultivation on degraded, low-fertility lateritic soils without integrated nutrient management keeps productivity stagnant.
- **The Input & Labor Crisis:** Farmers suffer from a severe lack of certified, high-yielding seed varieties. Cultivation is further hindered by heavy weed competition and a lack of small-scale machinery, driving up manual labor costs in areas already facing agricultural migration.
- **Infrastructure Deficits:** Millets require specific dehusking and milling before consumption. The glaring absence of decentralized, village-level processing units and modern storage facilities forces farmers to sell raw, unprocessed grain at rock-bottom prices, while placing a heavy manual processing burden on rural women.
- **Market & Policy Disconnect:** Unlike rice, millets lack assured procurement, minimum price guarantees, and integrated supply chains. Coupled with a strong cultural bias toward rice and weak extension support, farmers lack the economic incentive to scale up production.

Conclusion

The future of millet cultivation in West Bengal hinges on a fundamental shift in perspective: we must stop treating millets merely as a low-input crop for marginal lands, and start treating them as a premium, climate-resilient commodity. Distributing seeds is not enough. To ignite a true "nutri-cereal" revolution, the state must build a comprehensive value chain, investing in decentralized processing hubs, guaranteeing procurement, and actively rebranding millets

for the modern consumer. By dismantling these structural barriers, West Bengal can transform millets from a localized crop of last resort into a statewide pillar of ecological, economic, and nutritional security.

References

1. Banerjee, H. (n.d.). Millet chaser chabikathi. of West Bengal, Directorate of Agriculture. (n.d.). District-wise area, production and yield statistics of millet crops.
2. Indian Council of Agricultural Research–Central Research Institute for Dryland Agriculture. (n.d.). Agriculture contingency plan for district: Bankura, West Bengal.
3. Indian Council of Agricultural Research–Central Research Institute for Dryland Agriculture. (n.d.). Agriculture contingency plan for district: Birbhum, West Bengal.
4. Indian Council of Agricultural Research–Central Research Institute for Dryland Agriculture. (n.d.). Agriculture contingency plan for district: Purulia, West Bengal.
5. Indian Council of Agricultural Research–Central Soil Salinity Research Institute. (n.d.). Policy paper on soil characteristics and cropping intensity in West Bengal.
6. Jacob, J., et al. (2024). [Title of the article]. [Journal name].
7. Kuruburu, M., et al. (2022). [Title of the article on foxtail millet]. [Journal name].
8. Mandal, et al. (2021). [Title of the article on soil characteristics and cropping intensity in West Bengal]. [Journal name].
9. Ministry of Agriculture and Farmers Welfare. (2023). Promoting the production of millets. Press Information Bureau, Government of India.
10. Pradeep, P. M., & Sreerama, Y. N. (2018). Phenolic antioxidants of foxtail and little millet cultivars and their inhibitory effects on α-amylase and α-glucosidase activities. Food Chemistry, 247, 46–55.
11. Rana, et al. (2023). [Title of the article on foxtail millet α-amylase inhibition and anticancer properties]. [Journal name].
12. Rao, et al. (2017). [Title of the publication on millet nutrient composition and nutraceutical properties]. ICAR–Indian Institute of Millets Research.
13. Sharma, et al. (2021). [Title of the article on millet nutrient composition and nutraceutical properties]. [Journal name].
14. United Nations General Assembly. (2021). International Year of Millets, 2023 (Resolution A/RES/75/263). United Nations.
15. Note: Entries containing brackets require the original publication details to complete the APA references accurately.